


Cold Beverage Systems - Juice





JDF-2S PC LD
(Lighted Door with Portion Control)

Cold beverage dispenser with High Intensity® mixing delivers superior drinks consistently

- One dispenser delivers both frozen and ambient products increasing profits by lowering costs.
- Drink consistency assured with the BUNN High Intensity® mixing technology. 
- Pumps and mixes 2+1 to 11+1 concentrated beverages, including 4+1 high viscosity and 5+1 juices accurately and consistently.
- Quick dispense with 1.0 to 1.5 ounces (29.6 to 44.4 ml) per second flow rate.
- 7" cup clearance accommodates most juice containers.
- 8 lb. (3.6 kg) ice bank provides superior cold drink capacity.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Modular dispense deck makes service fast, simple.
- Both push-button and single-size portion control.
- Dual dispense model allows simultaneous dispense from both dispense heads (*juice display only*).
- Three size portion control, lighted door models available.
- Lighted door units use high efficiency LED lighting.
- Preventive maintenance kit: 39690.0000.
- Extended drip tray 44015.1000. (see page 73)



JDF-2S


Model	Product #	Dimension	Weight	Volts	Amps	Lighted Display	Dispense	Capacity	Cord Attached	Agencies
JDF-2S <i>(with air filter)</i>	37900.0001	33.1" H x 10"W x 25.5" D (84.1 cm H x 25.4cm W x 64.8cm D)	103 lbs. (46.7 kg)	120	4.5	No	push button	4 (5 oz.) drinks/min.	Yes	 
JDF-2S <i>(dual dispense)</i>	37900.0025									
JDF-2S LD	37900.0008									
JDF-2S <i>(dual dispense)</i>	37900.0026					Yes				
JDF-2S PC LD <i>(portion control)</i>	37900.0016									
JDF-2S LD <i>(dual dispense)</i>	37900.0027									

Cold Beverage Systems - Juice



JDF-4 PC LD
(Lighted Door with Portion control)

Cold beverage dispenser with High Intensity® mixing delivers superior drinks consistently

- One dispenser delivers both frozen and ambient products increasing profits by lowering costs.
- Drink consistency assured with the BUNN High Intensity® mixing technology. 
- Pumps and mixes 2+1 to 11+1 concentrated beverages, including 4+1 high viscosity and 5+1 juices accurately and consistently.
- Quick dispense with 1.0 to 1.5 ounces (29.6 to 44.4 ml) per second flow rate.
- 7" (17.8 cm) cup clearance accommodates most juice containers.
- 18 lb. (8.2 kg) ice bank provides superior cold drink capacity.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Two modular dispense decks makes service fast and simple.
- Both push-button and single-size portion control in the same machine.
- Three size portion control, lighted door models available.
- Door lock standard.
- Cold water option available.
- Lighted door units use high efficiency LED lighting.
- Preventive maintenance kit: 39690.0000.
- Extended drip tray 40789.1000. (see page 73)





JDF-4S



JDF-4 LD
(Lighted Door)

NOTE: Catalog icon legend can be found on page 1.

Model	Product #	Dimension	Weight	Volts	Amps	Lighted Display	Dispense	Capacity	Cord Attached	Agencies
JDF-4S	37300.0000	33.1" H x 15.7" W x 25.5" D (84.1cm H x 39.9cm W x 64.8cm D)	129 lbs. (58.5 kg)	120	6	No	push button	3 (12 oz.) drinks/min.	Yes	 
JDF-4S <i>(with cold water)</i>	37300.0002									
JDF-4S LD	37300.0004					Yes				
JDF-4S LD <i>(with cold water)</i>	37300.0006									
JDF-4S PC LD <i>(portion control)</i>	37300.0023									

Cold Beverage Systems - Iced Coffee



JDF-4S IC LD
(Lighted Door)



JDF-2S IC





JDF-2S IC LD
(Lighted Door)



JDF-4S IC

Cold beverage dispenser with High Intensity® mixing delivers superior drinks consistently

- One dispenser delivers both frozen and ambient products increasing profits by lowering costs.
- Drink consistency assured with the BUNN High Intensity® mixing technology. 
- Pumps and mixes 2+1 to 11+1 concentrated beverages, including 4+1 high viscosity and 5+1 juices accurately and consistently.
- Quick dispense with 1.0 to 1.5 ounces (29.6 to 44.4 ml) per second flow rate.
- 7" cup clearance accommodates most juice containers.
- JDF-2 8 lb. (3.6 kg) and JDF-4 18 lb. (8.2 kg) ice bank provides superior cold drink capacity.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Modular dispense deck makes service fast and simple.
- Both push-button and single-size portion control in the same machine.
- Dual dispense allow simultaneous dispense from both dispense heads (*juice display only*).
- Three size portion control, lighted door models available.
- Lighted door units use high efficiency LED lighting.
- Preventive maintenance kit: 39690.0000.
- JDF-2S extended drip tray 44015.1000 and JDF-4S extended drip tray 40789.1000. (see page 73)

Model	Product #	Dimension	Weight	Volts	Amps	Lighted Display	Dispense	Capacity	Cord Attached	Agencies	
JDF-2S <i>(Iced Coffee)</i>	37900.0002	33.1" H x 10"W x 25.5" D (84.1cm H x 25.4cm W x 64.8cm D)	103 lbs. (46.7 kg)	120	4.5	No	push button	4 (5 oz.) drinks/min.	Yes		
JDF-2S LD <i>(Iced Coffee)</i>	37900.0009					Yes					4 (5 oz.) drinks/min.
JDF-4S <i>(Iced Coffee)</i>	37300.0013	33.1" H x 15.7"W x 25.5" D (84.1cm H x 39.9cm W x 64.8cm D)	129 lbs. (58.5 kg)		6	No		3 (12 oz.) drinks/min.			
JDF-4S <i>(Iced Coffee)</i> <i>(with cold water)</i>	37300.0016					Yes					
JDF-4S LD <i>(Iced Coffee)</i>	37300.0020										

iMIX® Dispensers - Iced Coffee





iMIX-5 IC

Sleek, eye-catching powdered beverage dispenser featuring advanced mixing technology delivers exceptional cold drinks

- Three, 8-pound (3.6 kg) hoppers
- Lighted front graphics for merchandising.
- Large 4.4 gallon hot water tank.
- Cup clearance of 7.25" (18.4 cm).
- High speed, heavy-duty whipper for complete product mixing.
- Front of machine access for easy service, set up and calibration.
- Spring-loaded, all metal auger drive system for easy hopper installation.
- Left or right-hinged door option.
- Key service components easily accessible through front, top and side.
- High speed, heavy-duty whipper for complete product mixing.

IMIX AND IMIX-5

- RPM feedback. 
- Night mode prevents pilferage.
- Compatible with BUNNlink®. 

IMIX-3S+ AND IMIX-5S+

- Can be set as push and hold or single size portion control.
- Display allows adjustments and service operational testing from front of machine. Also communicates advertising messages, machine status and technical support contact information.



iMIX-3 IC





iMIX-3S+ IC



iMIX-5S+ IC



Iced Cappuccino Display
Product No.: 37457.0006

Model	Product #	Dimension	Weight	Volts	Amps	Watts	Finish	Capacity	Cord Attached	Agencies							
iMIX-3 IC	36900.0026	32.8" H x 12.6" W x 24.1" D (83.3cm H x 32cm W x 61.2cm D)	90 lbs. (40.8 kg)	120	15	1800	Black	4.5 gal. (17 L)	Yes	 							
iMIX-3S+ IC	38600.0006																
iMIX-5 IC	37000.0002	32.8" H x 19.5" W x 24" D (83.3cm H x 49.5cm W x 61 cm D)	135 lbs. (61.2 kg)														
iMIX-5S+ IC	38100.0010																