DOUGHPRO

STEARNS PRODUCT DEVELOPMENT CORPORATION

Operations Manual **CS1500**

Clam Shell Grill

Doughpro 20281 Harvill Ave Perris, CA 92570

Phone(951) 657-0379Toll Free(800) 624-6717Fax(951) 657-4594

Website: www.doughpro.com E-Mail: info@doughpro.com



Operation Instructions

Please read carefully before attempting to use this appliance.

- **Step 1.** Carefully unpack and clean grill plates with mild soap then sponge clean with cold water.
- **Step. 2.** Place in location where it will be used allowing for clearances per the dimensions indicated.
- **WARNING!** Allow 2" minimum clearance between adjacent equipment and/or wall areas.

Do not touch hot surfaces.

Step 3. Plug into proper 3 prong wall outlet. If other appliances are connected to the same circuit make sure the total load does not exceed maximum ampacity of the circuit. Electrical information is as follows:

120V/60Hz/1 phase/2200W/18.3 Amps or 220V/60Hz/1 phase/2200W/9.2 Amps

Step 4.


Cleaning Instructions


NOTE! Always turn off power and allow to cool down before attempting to clean. *Never submerge grill in water or other liquid nor use mineral spirits or other flammable material to clean this appliance.*

Clean stainless steel and griddle surfaces with soap and water using a soft, clean cloth periodically as required, but at least once daily. Never use harsh abrasives. Use only non-abrasive scouring pads when required.



STEARNS PRODUCT DEVELOPMENT CORPORATION







26 (38) 0 (19) \bigtriangledown 38 26 6 O (16)Ø 0 $\langle \rangle$ o O O (30)(29) (39)(28) (24)92

(18)

MODEL CS1500 110910 SHEET 2 OF 3



MODEL CS1500 110910 SHEET 3 OF 3




C\$1500_020910

CS1500

| | | A MODEL | B MODEL | C MODEL | E MODEL | QTY. |
|----------|--|-------------------------|-------------------------|-------------------------|---------------------------|----------|
| | | CS1500/CS1500P/CS1500PT | CS1500/CS1500P/CS1500PT | CS1500/CS1500P/CS1500PT | CS1500E/CS1500PE/CS1500PT | <u> </u> |
| ITEM # | PART NAME | 120 V | 220 V | 220 V | 208 V | |
| 1 | LOWER WRAP AROUND SHROUD ASSEMBLY | 110115501 | 110115501 | 110115501 | 110115501 | 1 |
| 2 | LOWER PLATEN | 1101007002120 | 1101007002220 | 1101007002220 | 1101007002208 | 1 |
| 2A | LOWER PLATEN PANINI | 1101155132120 | 1101155132220 | 1101155132220 | 1101155132208 | 1 |
| 3 | LOWER PLATEN INSULATION | 110115542 | 110115542 | 110115542 | 110115542 | 1 |
| 4 | COVER, LOWER PLATEN ASSEMBLY | 110115506 | 110115506 | 110115506 | 110115506 | 1 |
| 5 | WASHER, SAE 3/8 | WSAE38 | WSAE38 | WSAE38 | WSAE38 | 4 |
| 6 | WASHER, LOCK 3/8 | WL38 | WL38 | WL38 | WL38 | 4 |
| 7 | HEX NUT 3/8-16 | NH3816 | NH3816 | NH3816 | NH3816 | 4 |
| 8 | STRAIN FELIEF | MPSS168 | MPSS168 | MPSS168 | MPSS168 | 1 |
| 9 | PIN, BACK STOP | 110115543 | 110115543 | 110115543 | 110115543 | 2 |
| 10 | SCREW BOLT HEX HEAD 1/4-20 x 1.0 | BH14201 | BH14201 | BH14201 | BH14201 | 2 |
| 11 | GREEN INSULATION WASHER | C4401 | C4401 | C4401 | C4401 | 10 |
| 12 | WASHER, SAE 1/4 | WSAE14 | WSAE14 | WSAE14 | WSAE14 | 2 |
| 13 | WASHER, LOCK 1/4 | WL14 | WL14 | WL14 | WL14 | 2 |
| 14 | NUT, HEX 1/4-20 | NH1420 | NH1420 | NH1420 | NH1420 | 2 |
| 15 | SCREW SET 3/8-16 x 1-3/4 | SST3816134 | SST3816134 | SST3816134 | SST3816134 | 4 |
| 16 | SCREW SET KNURLED CUP POINT 5/16-18 x 3/8 | SST5161838KN | SST5161838KN | SST5161838KN | SST5161838KN | 15 |
| 17 | SCREW, PHILLIPS. PAN HEAD 6-32 x 1/4 | SP63214 | SP63214 | SP63214 | SP63214 | 2 |
| 18 | COUNTER BALANCE SPRING LEFT HAND | 1101023154L | 1101023154L | 1101023154L | 1101023154L | 1 |
| 19 | COUNTER BALANCE SPRING RIGHT HAND | 1101023154R | 1101023154R | 1101023154R | 1101023154R | 1 |
| 20 | UPPER PLATEN | 110121731120 | 110121731220 | 110121731220 | 110121731208 | 1 |
| 20A | UPPER PLATEN PANINI | 110121740120 | 110121740220 | 110121740220 | 110121740208 | 1 |
| 21 | CLEVIS ASSEMBLY LEFT HAND | 110115503 | 110115503 | 110115503 | 110115503 | 1 |
| 22 | CLEVIS ASSEMBLY RIGHT HAND | 110115504 | 110115504 | 110115504 | 110115504 | 1 |
| 23 | E-CLIP, RETAINING RING | LCC3478 | LCC3478 | LCC3478 | LCC3478 | 4 |
| 24 | HANDLE RIGHT ASSEMBLY | 110115521 | 110115521 | 110115521 | 110115521 | 1 |
| 25 | FLANGED BUSHING TEFLON 1/2" LONG | 110115563 | 110115563 | 110115563 | 110115563 | 2 |
| 26 | BUSHING TEFLON 1" LONG | 110115541 | 110115541 | 110115541 | 110115541 | 8 |
| 27 | HANDLE GRIP | 110901168 | 110901168 | 110901168 | 110901168 | 2 |
| 28 | WASHER CUT 5/16 | WC516 | WC516 | WC516 | WC516 | 6 |
| 29 | WASHER 5/16, LOCK | WL516 | WL516 | WL516 | WL516 | 10 |
| 30 | SOCKET HEAD SCREW 5/16-18 x 3/4 | SSH5161834 | SSH5161834 | SSH5161834 | SSH5161834 | 6 |
| 31 | HANDLE LEFT ASSEMBLY | 110115522 | 110115522 | 110115522 | 110115522 | 1 |
| 32 | GROMMET 5/16 x 1/2 | 110115554 | 110115554 | 110115554 | 110115554 | 2 |
| 33 | SET SCREW 3/8-16 x 1/2 | SST381612 | SST381612 | SST381612 | SST381612 | 2 |
| 34 | SET SCREW 3/8-16 x 1.0 | SST38161 | SST38161 | SST38161 | SST38161 | 2 |
| 35 | TUBBING PAD | 110115531 | 110115531 | 110115531 | 110115531 | 2 |
| 36 | SPRING, DETENT | 110115555 | 110115555 | 110115555 | 110115555 | 2 |
| 37 | PLUNGER ASSEMBLY | 110115544 | 110115544 | 110115544 | 110115544 | 2 |
| 38 | HANDLE HOLDER | 110115530 | 110115530 | 110115530 | 110115530 | 2 |
| 39 | HANDLE SPRING ADJUSTING COLLAR | 110115528 | 110115528 | 110115528 | 110115528 | 2 |
| 40 | TRANSFORMER | 11096975 | 11096975 | 11096975 | 11096975 | |
| - | SCREW, PHILLIPS. PAN HEAD 6-32 x 3/8 | SP63238 | | | | |
| 41 42 | INSULATION UPPER PLATEN | | SP63238 110888254 | SP63238 110888254 | SP63238 110888254 | 2 |
| | | 110888254 | | | | |
| 43 44 | N/A SHROUD | N/A 110121721 | N/A 110121721 | N/A 110121721 | N/A 110121721 | N/A |
| | SCREW, SLOTTED PAN HEAD 10-24 x 5/8 S.S.T | | | | | |
| 45 | | SPS102458S | SPS102458S | SPS102458S | SPS102458S | 6 |
| 46 | | 110115557 | 110115557 | 110115557 | 110115557 | 2 |
| 47 | UPPER LEVELING BRACKET | 110115510 | 110115510 | 110115510 | 110115510 | 2 |
| 48 | WASHER 5/16 INTERNAL TOOTH LOCK | WLIT516 | WLIT516 | WLIT516 | WLIT516 | 4 |
| 49 | SWITCH, GUARD | 110901413 | 110901413 | 110901413 | 110901413 | 1 |
| 50 | SCREW BOLT HEX HEAD 5/16-18 X 1.0 S.S.T | BH516181S | BH516181S | BH516181S | BH516181S | 4 |
| 51 | WASHER, #8 INTERNAL TOOTH LOCK | WLIT8 | WLIT8 | WLIT8 | WLIT8 | 3 |
| 52 | WIRE HARNESS | 1101217050 | 1101217050 | 1101217050 | 1101217050 | 1 |
| 53 | PILOT LIGTH | 110966018G | 110966018G | 110966018G | 110966018G | 1 |
| 54 | SWITCH ASSEMBLY | 110901411 | 110901411 | 110901411 | 110901411 | 1 |
| 55 | TEMPERATURE CONTROLLER | 1101217052 | 1101217052 | 1101217052 | 1101217052 | 1 |
| 56 | INSTRUMENT HOUSING ASSY | 110121711 | 110121711 | 110121711 | 110121711 | 1 |
| 57 | OVERLAY | OPRCCS1500 | OPRCCS1500 | OPRCCS1500 | OPRCCS1500 | 1 |
| 58 | GREASE TRAY | 110115505 | 110115505 | 110115505 | 110115505 | 1 |
| 59 | NYLON SPACER 1/4" x .141 x 9/32 LONG | 11090109 | 11090109 | 11090109 | 11090109 | 4 |
| 61 | DIGITAL TIMER | 110121752 | 110121752 | 110121752 | 110121752 | 1 |
| 62 | WASHER, #6 INTERNAL TOOTH LOCK | WLIT6 | WLIT6 | WLIT6 | WLIT6 | 10 |
| 63 | NUT, HEX 6-32 | NH632 | NH632 | NH632 | NH632 | 8 |
| 64 | SCREW, PHILLIPS. PAN HEAD 8-32 x 3/8 S.S.T | SP83238S | SP83238S | SP83238S | SP83238S | 7 |
| 65 | PIN, PIVOT FRONT | 110115565 | 110115565 | 110115565 | 110115565 | 2 |
| 66 | RATAINING RING | 110115567 | 110115567 | 110115567 | 110115567 | 8 |

CS1500

| 67 | N/A | N/A | N/A | N/A | N/A | N/A |
|--------|--|-------------|-------------|-------------|-------------|-----|
| 68 | TOP LINK | 110115508 | 110115508 | 110115508 | 110115508 | 2 |
| 69 | PIN, PIVOT BACK | 110115566 | 110115566 | 110115566 | 110115566 | 2 |
| 70 | NUT, HEX 8-32 | NH832 | NH832 | NH832 | NH832 | 3 |
| 71 | POWER CORD | 1101217174 | 1101217175 | MPPW202 | 1101217175 | 1 |
| 72 | BACK COVER | 110115562 | 110115562 | 110115562 | 110115562 | 1 |
| 75 | WASHER, SAE #8 | WSAE8 | WSAE8 | WSAE8 | WSAE8 | 4 |
| 76 | SCREW, PHILLIPS. PAN HEAD 8-32 x 1.0 | SP8321 | SP8321 | SP8321 | SP8321 | 1 |
| 77 | MOUNTING BRACKET ASSEMBLY | 110115559 | 110115559 | 110115559 | 110115559 | 1 |
| 78 | FUSE HOLDER 1 AMP | MPPF708 | MPPF708 | MPPF708 | MPPF708 | 1 |
| 79 | SCREW, PHILLIPS. PAN HEAD 2-56 x 1/4 | SP25614 | SP25614 | SP25614 | SP25614 | 1 |
| 80 | FUSE BUSS 1 AMP | MPPF701R | MPPF701R | MPPF701R | MPPF701R | 1 |
| 81 | MARKER STRIP, #4 DOUBLE | MS6014 | MS6014 | MS6014 | MS6014 | 1 |
| 82 | 4 STAGE TERMINAL BLOCK DOUBLE | 6014 | 6014 | 6014 | 6014 | 1 |
| 83 | SCREW, PHILLIPS. PAN HEAD 6/32 x 5/8 | SP63258 | SP63258 | SP63258 | SP63258 | 2 |
| 84 | SCREW, PHILLIPS. PAN HEAD 8-32 x 1-1/2 S.S.T | SP832112S | SP832112S | SP832112S | SP832112S | 2 |
| 85 | WASHER, SAE #6 | WSAE6 | WSAE6 | WSAE6 | WSAE6 | 2 |
| 86 | COVER, HEATER ELEMENT | 110115564 | 110115564 | 110115564 | 110115564 | 1 |
| 87 | SCREW, PAN HEAD PHILLIPS 6-32 X .250 | SP63214ST | SP63214ST | SP63214ST | SP63214ST | 2 |
| A1 | CS1500 UPPER PLATEN (WIRING ONLY) | 1101217201 | 1101217203 | 1101217203 | 1101217202 | 1 |
| A1 | CS1500P/PT UPPER PLATEN (WIRING ONLY) | 1101217201P | 1101217203P | 1101217203P | 1101217202P | 1 |
| A2 | CS1500 LOWER PLATEN (WIRING ONLY) | 1101155207 | 1101155208 | 1101155208 | 1101155209 | 1 |
| A2 | CS1500P/PT LOWER PLATEN (WIRING ONLY) | 1101155207P | 1101155208P | 1101155208P | 1101155209P | 1 |
| A3 | CS1500 UPPER PLATEN ASSEMBLY | 1101217101 | 1101217103 | 1101217103 | 1101217102 | 1 |
| A3 | CS1500P/PT UPPER PLATEN ASSEMBLY | 1101217101P | 1101217103P | 1101217103P | 1101217102P | 1 |
| A2, A4 | CS1500 LOWER PLATEN ASSEMBLY | 1101155116 | 1101155117 | 1101155117 | 1101155118 | 1 |
| A2, A4 | CS1500P/PT LOWER PLATEN ASSEMBLY | 1101155116P | 1101155117P | 1101155117P | 1101155118P | 1 |





PLEASE READ CAREFULLY BEFORE ATTEMPTING TO USE THIS APPLIANCE.

LIMITED MACHINE WARRANTY

WHAT IS COVERED

Stearns/Doughpro warrants the CS1500, from manufacturing defects in workmanship and material sold within the domestic United States.

HOW LONG DOES THE COVERAGE LAST

One-year warranty for parts and labor. The heating elements on the upper and lower platens have a limited lifetime warranty on the elements.

WHAT WE WILL DO

We will repair or replace the defective CS1500 on normal warranty one-year parts and labor. The heating elements on the upper and lower platen only; will be replaced by next day air service; under the normal one-year warranty. Such repair or replacement will be at the expense of Doughpro under the normal one-year warranty.

HOW TO GET SERVICE

Contact our Factory to obtain warranty service. Doughpro must issue a return authorization number, and call tag, or find the name and location of a Factory Authorized Service Center nearest you. When calling for service, please furnish the model number, serial number, and a description of the problem.

WHAT THIS WARRANTY DOES NOT COVER

THE WARRANTIES PROVIDED BY STEARNS/DOUGHPRO DO NOT APPLY IN THE FOLLOWING INSTANCES:

- Damage due to misuse, abuse, alteration, or accident.
- Improper or unauthorized repairs.
- Submerged in water.
- Dropped.
- Damage in shipment.
- Equipment exported to foreign countries.

FOR SERVICE CALL: (800) 624-6717

PROPROCESS CORPORATION

• 7328 Madison St. • Paramount, CA 90723 (562) 531-0305 • (800) 624-6717 • Fax (562) 869-7715







Stearns Product Development Corp. 20281 Harvill Ave. Perris, Ca 92570 (951) 657-0379 Fax (951) 657-4954

Warranty & Return Policy

STEARNS PRODUCT DEVELOPMENT CORPORATION warrants all products manufactured by it against defects in workmanship or materials from the

date of purchase for a period of (1) year on parts and labor. This warranty applies to only equipment purchased and used in the United States.

Exclusions:

1. WOOD / GAS FIRED OVENS: STEARNS PRODUCT DEVELOPMENT CORPORATION warranty applies to the main body of the oven being steel

/ refractory and insulation shall be free from defects in materials and workmanship for a period of four (10) years from the date of purchase. The gas equipment shall be free from defects in materials and workmanship for a period of one (1) year

from the date of purchase. This warranty excludes the tandoori and home oven. Lifetime warranty against cracks on oven floor.

2. TANDOORI & HOME OVENS: STEARNS PRODUCT DEVELOPMENT CORPORATION warrants the Tandoori & Home Oven including gas

equipment shall be free from defects in materials and workmanship for a period of one (1) year from the date of purchase.

3. Air compressors are excluded from this warranty, but STEARNS PRODUCT DEVELOPMENT CORPORATION may act as a warranty

expeditor in certain instances regarding these compressors. The air compressor manufacturer provides a limited warranty and a copy of this warranty is furnished with all compressors sold by **STEARNS PRODUCT DEVELOPMENT CORPORATION**. For prompt

handling of compressor warranty claims the instructions of the compressor manufacturer must be adhered to.

4. Equipment built to special order as well as accessories are not returnable unless defective within the terms of this

warranty.

5. In no event shall STEARNS PRODUCT DEVELOPMENT CORPORATION be liable for consequential damages arising out of the failure of

any of its products if operated improperly or caused by normal wear or damage by operator abuse.

Returned Merchandise Policy:

Should it become necessary to return any of the company's products, the following instructions must be adhered to: First, contact our customer service department for approval and a return authorization number. *Please have the serial number of your item available at that time.* All merchandise must be shipped *freight prepaid* by customer or service agency.

Subject to the inspection of the product by the company, a restocking charge of 20% of the Net purchased price paid to

STEARNS PRODUCT DEVELOPMENT CORPORATION will be assessed. Merchandise may not be returned for credit without prior written

approval of STEARNS PRODUCT DEVELOPMENT CORPORATION. Collect shipments will not be accepted. No returns after 60 days of original

shipment date on machines. Purchased parts may not be returned after 30 days.

If upon inspection by **STEARNS PRODUCT DEVELOPMENT CORPORATION** or its authorized agent it is determined the equipment has not been

used in an appropriate manner, has been modified, or has not been properly maintained, or has been subject to misuse, misapplication, neglect, abuse, accident, unauthorized modification, damage during transit, delivery, fire, flood, act or war, riot or act of God, then this warranty shall be deemed null and void.

Terms & Conditions:

1. Prices indicated in the PRICE LIST are suggested retail prices and are shown in U.S. DOLLARS.

2. Terms of Payment: 1% 10 days, NET 30 days.

3. **NEW ACCOUNTS:** Satisfactory credit information must be provided before open account status can be extended.

Unless agreed otherwise, all shipments will be made C.O.D., CASH IN ADVANCE.

4. **PRICING:** Prices, specifications, model numbers, capacities and accessories are subject to change without notice.

5. FREIGHT / ROUTING: Method of shipment will be determined by STEARNS PRODUCT DEVELOPMENT CORPORATION unless otherwise

advised by PURCHASER.

6. **DAMAGED CLAIMS:** All merchandise shipped at purchaser's risk. Inspection must be made by purchaser at time goods are received. If goods are damaged, the PURCHASER shall request that the agent of the transportation company make a written notation on the proper shipping documents immediately and then file a claim for damage. GOODS DAMAGED IN SHIPMENT ARE NOT RETURNABLE.

7. **RETURNS:** Machines may not be returned after 60 days. Purchased parts may not be returned after 30 days. A restocking fee of 20% will be assessed on non-warranty returns.

8. **TAXES**: Prices indicated herein DO NOT include State, Federal, Local or foreign taxes or duties, nor do they include fees, permits, insurance or other levies, all of which are the responsibility of the purchaser.

9. All orders are subject to acceptance by STEARNS PRODUCT DEVELOPMENT CORPORATION.

10. Possession of this price list shall not be considered an offer to sell.