BUNN°

ᅮ	$\overline{}$	ВΛ	11
	ᆮ	IVI	#

PROJECT

2 Gallon Hot Water Dispenser

DATE



Model HW2Dimensions: 24"H x 7.1"W x 14.3"D
(60.96cm H x 18.03cm W x 36.3cm D)

Features

2 Gallon Hot Water Dispenser

- Two gallons (7.57 litres) of hot water in a space-saving machine just 7.1" (18.03 cm) wide to fit any counter.
- Fresh, hot water is always available since the HW2 is hooked to your water line.
- High quality, easy-to-clean stainless steel exterior and tank for a long, dependable life.
- · Includes drip tray.
- International electrical configurations available.

For current specification sheets and other information, go to www.bunn.com.

Related Products

Easy Clear® EQ-17-TL Product No.: 30200.1000

Dimensions:

 $12^{7}\!\!/_{16}$ " H x $2^{1}\!\!/_{2}$ " W x 3 " D 31.6 cm H x 6.35 cm W x 7.62 cm D

Easy Clear® ED-17-TL

Product No. : 30201.1001 Dimensions: $8\frac{1}{4}$ " H x $2\frac{5}{16}$ " Dia.

 $20.95\ \mbox{cm}\ H$ x $5.87\ \mbox{cm}\ Dia.$



Replacement Drip Tray Kit

Product No.: 02497.0001



Model	Agency Listing
HW2	UL) LISTED (NSF.)

Dimensions & Specifications

Model	Product #	Volts	Amps	Tank Heater Watts		°F Settings	Dispensing Capacity	Cu. Ft.	Shipping Weight	Cord Attached
HW2	02500.0001	120	15	1700	1800	200	4.2 gal./hr.**	2.1	23 lbs.	Yes*
HW2	02500.0005	_	15	1700	1800	200	4.2 gal./hr.**	2.1	23 lbs.	Yes*

^{*}Power cord (NEMA 5-15P) 15 Amp-120V machine only. **Based on incoming water temperature of 50°F. △Black finish.

Electrical: Model requires 2-wires plus ground service rated 120V, single phase, 60 Hz. Plumbing: 20-90 psi (138-621 kPa). Supplied with 1/4" (6.3 mm) OD male flare fitting. 2.6 **Drip Tray** .80 3.68 5.21-6.8 6.8 \bigcirc WATER SUPPLY CONNECTION .250 OD FLARE 7.1 -9.1 24.0 **POWER** + 3.4 - **SUPPLY** 15.2 CONNECTION W/O DRIP **TRAY** 12.6 W/ DRIP TRAY **⊡**E 6.3 2.6 1.22 8. 1.2 4.53 - 1.59 - 5.86 7.0 **POWER CORD** - 14.3 REF -

Bunn-O-Matic® Corporation - 1400 Stevenson Drive Springfield, Illinois 62703 • 800-637-8606 • 217-529-6601 • Fax 217-529-6644 • www.bunn.com