

iMIX® Dispensers with 3 Hoppers



iMIX-3

Sleek, eye-catching powdered beverage dispenser featuring advanced mixing technology delivers exceptional hot drinks

- Three, 8-pound (3.6 kg) hoppers.
- Lighted front graphics for merchandising.
- Large 4.4 gallon hot water tank.
- Cup clearance of 7.25" (18.4 cm).
- High speed, heavy-duty whipper for complete product mixing.
- Front of machine access for easy service, set up and calibration.
- Spring-loaded, all metal auger drive system for easy hopper installation.
- Left, right or top-hinged door option.
- High speed, heavy-duty whipper for complete product mixing.

iMIX

- Low powder product detection system.
- RPM feedback.
- Night mode prevents pilferage.
- Compatible with BUNNlink®.

iMIX-3S+

- Set as push and hold or single size portion control.
- Display allows adjustments and service operational testing from front of machine. Also communicates advertising messages, machine status and technical support contact information.



Top hinge
units available



iMIX-3 PC



iMIX-3S



iMIX-3S+





Chai Display
Product No.: 37457.0001



Hot Chocolate Display
Product No.: 37457.0002



Steamer Display
Product No.: 37457.0003

Model	Product #	Dimension	Weight	Volts	Amps	Watts	Display	Finish	Capacity	Cord Attached	Agencies
iMIX-3	36900.0000	32.8" H x 12.6" W x 24.1" D (83.3cm H x 32cm W x 61.2cm D)	90 lbs. (40.8 kg)	120	15	1800	Cappuccino	Black	4.5 gal. (17 L)	Yes	 
	36900.0001							SST			
	36900.0003						Steamer				
	36900.0004						Hot Chocolate				
	36900.0005						Specialty Tea				
iMIX-3 PC	36900.0002	35.1" H x 12.6" W x 24.1" D						Black			
iMIX-3S	38600.0000										
iMIX-3S+	38600.0001										
iMIX-3	36900.0050	(top hinge unit) 35.1" H x 12.6" W x 24.1" D (89.2cm H x 32cm W x 61.2cm D)					Cappuccino				
iMIX-3S	38600.0051										
iMIX-3S+	38600.0050										

iMIX® Dispensers with 4 or 5 Hoppers



iMIX-5

Sleek, eye-catching powdered beverage dispenser featuring advanced mixing technology delivers exceptional hot drinks

- iMIX-5: Five, 8-pound (3.6 kg) hoppers
iMIX-4: Four, 8-pound (3.6 kg) hoppers
- Lighted front graphics for merchandising.
- 7.3 gallon (27.63 litre) hot water tank.
- Cup clearance of 7.25" (18.4 cm).
- Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6 grams of powder per second).
- High speed, heavy-duty whipper.
- Front of machine access for easy service.
- Spring-loaded, all metal auger drive system for easy hopper installation.
- Lighted front graphics for merchandising.
- Left, right or top-hinged door option.
- Easily removable side panels for complete access to service components.
- Compatible with BUNNlink®.

iMIX-5

- Low powder product detection system.
- RPM feedback.
- Night mode prevents pilferage.

iMIX-5S+

- Set as push and hold or single size portion control.
- Display allows adjustments and service operational testing from front of machine. Also communicates advertising messages, machine status and technical support contact information.





iMIX-4

iMIX-5S

iMIX-5S+

Top hinge
units available

Model	Product #	Dimension	Weight	Volts	Amps	Watts	Finish	Capacity	Cord Attached	Agencies
iMIX-4	37000.0004	32.8" H x 19.5" W x 24" D (83.3cm H x 49.5cm W x 61 cm D)	132 lbs. (59.9 kg)	120	15	1800	Black	4.5 gal. (17 L)	Yes	 
iMIX-5	37000.0000	32.8" H x 19.5" W x 24" D (83.3cm H x 49.5cm W x 61 cm D)	135 lbs. (61.2 kg)							
iMIX-5S	38100.0000	32.8" H x 19.5" W x 24" D (83.3cm H x 49.5cm W x 61 cm D)								
iMIX-5S+	38100.0003									
iMIX-4	37000.0050	(top hinge unit) 35.1" H x 19.5" W x 24" D (83.3cm H x 49.5cm W x 61 cm D)	132 lbs. (59.9 kg)							
iMIX-5	37000.0020		135 lbs. (61.2 kg)							
iMIX-5S	38100.0075									
iMIX-5S+	38100.0050									

Fresh Mix Dispensers



FMD-5

- FMD-1: One, 8-pound (3.6 kg) hopper
- FMD-2: Two, 4-pound (1.81 kg) hoppers
- FMD-3: Three, 4-pound (1.81 kg) hoppers
- FMD-4: One, 8-pound (3.6 kg) hopper;
Three, 4-pound (1.81 kg) hoppers
- FMD-5: Five, 4-pound (1.81 kg) hoppers
- Variable speed hopper motors offer a wide range of product mix ratios (.75 to 6.6 grams of powder per second).
- Lighted graphics for merchandising.
- Adjustable legs and drip tray allow up to 7" (17.8 cm) opening for serving cup.
- Specially designed mixing system guarantees perfect beverages every time.
- Improved automatic rinse reduces run-on after beverage is dispensed.
- Electrical and plumbing components easily accessible through front and top.

FMD DBC DISPENSER

- Easy-to-program, one-touch portion control for three cup sizes.
- Fast fill – perfect for quick service restaurants.
- Each mixing chamber has independent powder to water ratio.
- System setup is password protected.
- Simple setup and hopper throw calibration system.



FMD-1





FMD-2



FMD-3



FMD-3

Model	Product #	Dimension	Weight	Volts	Amps	Watts	Display	Capacity	Cord Attached	Agencies	
FMD-1 BLK	SET00.0196	30" H x 7.9" W x 21" D (76.2cm H x 20.1cm W x 53.3cm D)	75 lbs. (34 kg)	120	15	1800	Standard	4.2 gal. (15.9 L)	Yes	 	
	SET00.0203						Hot Chocolate				
FMD-2 BLK	SET00.0200		81 lbs. (36.7 kg)				Standard				
	SET00.0207						Mug Display				
FMD-3 BLK	SET00.0197	30" H x 11.3" W x 23.3" D (76.2cm H x 28.7cm W x 59.2cm D)	86 lbs. (39.0 kg)				Café Latte				
FMD-3 SST	SET00.0198										
FMD-3 Soup	28600.0000		84 lbs. (38 kg)				Soup				
FMD-3 DBC BLK	29250.0000		85 lbs. (38.6 kg)				Café Latte				
FMD-4 BLK	34900.0002		29.3" H x 18.6" W x 21.2" D (74.4cm H x 47.2cm W x 53.8cm D)				118 lbs. (53.5 kg)				Cappuccino
FMD-5 BLK	34900.0000	123 lbs. (55.8 kg)									

iMIX[®] Hot and Iced Beverage Dispenser





iMIX-5S+ H&C



Top hinge
unit available

Sleek powdered beverage dispenser featuring advanced mixing technology delivers exceptional hot or cold drinks

- 3 dispense nozzles for hot drinks and 2 for iced cappuccino with split hot/iced cappuccino lighted display.
- Capacity: five, 8-pound (3.6 kg) hoppers.
- Large, lighted front graphics for merchandising.
- One 3 gal. (11.35L) and one 2 gal (7.57L) hot water tank, with individually controlled thermostats, adjustable from 50° to 200°F, for optimum drink quality for hot and cold products.
- Cup clearance at 7.25" (18.4 cm) to accommodate popular cup sizes [adjustable to 8.12" (20.6 cm)].
- Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6 grams of powder per second).
- Key service components easily accessible through front, top, and sides.
- High speed, heavy-duty whipper for complete product mixing.
- Front of machine access to tank drain, dump valves, auger and whipper motors and control board for easy service.
- Key lock on the door prevents tampering.
- Spring-loaded, all metal auger drive system for easy hopper installation.
- Can be set as push and hold or single size portion control.
- Display allows adjustments and service operational testing from front of machine. Also communicates advertising messages, machine status and technical support contact information.

Model	Product #	Dimension	Weight	Volts	Amps	Watts	Finish	Capacity	Cord Attached	Agencies
iMIX-5S+	40900.0000	32.8" H x 19.5"W x 24" D (83.3cm H x 49.5cm W x 61 cm D)	135 lbs. (61.2 kg)	120	15	1800	Black	4.5 gal. (17 L)	Yes	 
	40900.0050	(top hinge unit) 35.1" H x 19.5"W x 24" D (83.3cm H x 49.5cm W x 61 cm D)								