


Cold Beverage Systems

COLD BEVERAGE SYSTEMS



JDF-2S

Cold beverage dispenser with High Intensity® mixing delivers superior drinks consistently

- One dispenser delivers both frozen and ambient products.
- Quick dispense with 44.4 to 59.2 ml per second flow rate.
- 20.8 cm cup clearance accommodates most juice containers.
- 4.5 kg ice bank assures cold product.
- Drink consistency and quick dispense assured by the High Intensity® mixing chamber's "stay clean" valve design. 
- Pumps and mixes 4:1 high viscosity and 5:1 juices accurately and consistently.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Equipped with tank drain.
- Dual dispense allow simultaneous dispense from both dispense heads (*juice display only*).

RELATED PRODUCTS

EQHP-10

Product No.: 39000.0004



EQHP-10L

Product No.: 39000.0001

Inlet Hose Assembly

Product No.: 32865.0002

Refillable juice container

Product No.: 39302.0000


(sold separately)




Ambient concentrate conversion kit

Product No.: 33699.0001

(sold separately)



REFRIGERATION
ON/OFF SWITCH




WATER IN FITTING



JDF-2S

*24°C incoming water for 190 drinks without exceeding 4.4°C finished drink temperature.

Product #	Description	Weight	Volts	Amps	Watts	Hertz	Phase	Cord	Agency
NON-LIGHTED DOOR									
37900.0003	JDF-2SA, pushbutton	46.7 kg	230	4	920	50/60	I	Yes	
37900.0007	JDF-2SA, pushbutton, iced coffee display								


Plumbing: 138-690 kPa. Machine supplied with 3/8" male fitting. All plumbed models that are CE listed feature backflow prevention.

Dimensions shown in centimetres For capacities, additional specs, manuals, care & cleaning, visit www.bunn.com.



Cold Beverage Systems




JDF-2S LD



JDF-2S PC LD
(Lighted door with portion control)



Cold beverage dispenser with High Intensity mixing delivers superior drinks consistently

- One dispenser delivers both frozen and ambient products.
- Quick dispense with 44.4 to 59.2 ml per second flow rate.
- 20.8 cm cup clearance accommodates most juice containers.
- 4.5 kg ice bank assures cold product.
- Drink consistency and quick dispense assured by the High Intensity® mixing chamber's "stay clean" valve design. 
- Pumps and mixes 4:1 high viscosity and 5:1 juices accurately and consistently.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Equipped with tank drain.
- Three size portion control model available (*juice only*).
- Dual dispense allow simultaneous dispense from both dispense heads (*juice display only*).
- Lighted door units use high efficiency LED lighting.

RELATED PRODUCTS

EQHP-10
Product No.: 39000.0004



EQHP-10L
Product No.: 39000.0001

Inlet Hose Assembly
Product No.: 32865.0002

Refillable juice container
Product No.: 39302.0000
(sold separately)




Ambient concentrate conversion kit
Product No.: 33699.0001
(sold separately)



JDF-2S LD

*24°C incoming water for 190 drinks without exceeding 4.4°C finished drink temperature.

Product #	Description	Weight	Volts	Amps	Watts	Hertz	Phase	Cord	Agency
LIGHTED DOOR									
37900.0010	JDF-2SA, pushbutton	46.7 kg	230	4	920	50/60	I	Yes	
37900.0011	JDF-2SA, pushbutton, iced coffee display								
37900.0017	JDF-2SA, portion control								

Plumbing: 138-690 kPa. Machine supplied with 3/8" male fitting. All plumbed models that are CE listed feature backflow prevention.

Dimensions shown in centimetres For capacities, additional specs, manuals, care & cleaning, visit www.bunn.com.


Cold Beverage Systems

COLD BEVERAGE SYSTEMS



JDF-4S

Cold beverage dispenser with High Intensity mixing delivers superior drinks consistently

- One dispenser delivers both frozen and ambient products.
- Frost-free refrigerated compartment holds up to 15.1 litres of frozen concentrate.
- 8.2 kg ice bank assures cold product.
- Drink consistency and quick dispense assured by the High Intensity® mixing chamber's "stay clean" valve design. 
- Pumps and mixes 4:1 high viscosity and 5:1 juices accurately and consistently.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Equipped with tank drain.
- Cold water feature on some models.

RELATED PRODUCTS

EQHP-10

Product No.: 39000.0004



EQHP-10L

Product No.: 39000.0001

Inlet Hose Assembly

Product No.: 32865.0002

Refillable juice container

Product No.: 39302.0000



(sold separately)



Ambient concentrate conversion kit

Product No.: 33699.0001

(sold separately)



NOTE: Catalog icon legend can be found on page 1.



JDF-4S

Product #	Description	Weight	Volts	Amps	Watts	Hertz	Phase	Cord	Agency
NON-LIGHTED DOOR									
37300.0001	JDF-4SA, pushbutton, juice display	58.5 kg	230	4	920	50/60	1	Yes	CE 
37300.0003	JDF-4SA, pushbutton, juice display, cold water dispense		230	4	920	50/60			CE
37300.0018	JDF-4SA, pushbutton, iced coffee display		230	4	920	50/60			CE 
37300.0021	JDF-4SA, pushbutton, iced coffee display, cold water dispense		230	4	920	50/60			CE

Plumbing: 138-690 kPa. Machine supplied with 3/8" male fitting. All plumbed models that are CE listed feature backflow prevention.

Dimensions shown in centimetres For capacities, additional specs, manuals, care & cleaning, visit www.bunn.com.



Cold Beverage Systems




JDF-4S LD



JDF-4S PC LD
(Lighted door with portion control)



Cold beverage dispenser with High Intensity mixing delivers superior drinks consistently

- One dispenser delivers both frozen and ambient products.
- Frost-free refrigerated compartment holds up to 15.1 litres of frozen concentrate.
- 8.2 kg ice bank assures cold product.
- Drink consistency and quick dispense assured by the High Intensity® mixing chamber's "stay clean" valve design. 
- Pumps and mixes 4:1 high viscosity and 5:1 juices accurately and consistently.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Equipped with tank drain.
- Cold water feature on some models.
- Three size portion control, lighted door models available. (juice only)
- Lighted door units use high efficiency LED lighting.

RELATED PRODUCTS

EQHP-10

Product No.: 39000.0004



EQHP-10L

Product No.: 39000.0001

Inlet Hose Assembly

Product No.: 32865.0002

Refillable juice container

Product No.: 39302.0000

(sold separately)



Ambient concentrate conversion kit

Product No.: 33699.0001

(sold separately)



JDF-4S LD

Product #	Description	Weight	Volts	Amps	Watts	Hertz	Phase	Cord	Agency
LIGHTED DOOR									
37300.0005	JDF-4SA, pushbutton, juice display, lighted door	58.5 kg	230	4	920	50/60	1	Yes	NSF CE
37300.0007	JDF-4SA, pushbutton, juice display, lighted door; cold water dispense								CE
37300.0022	JDF-4SA, pushbutton, iced coffee display, lighted door								NSF CE
37300.0024	JDF-4SA, portion control, juice display, lighted door								

Plumbing: 138-690 kPa. Machine supplied with 3/8" male fitting. All plumbed models that are CE listed feature backflow prevention.

Dimensions shown in centimetres For capacities, additional specs, manuals, care & cleaning, visit www.bunn.com.