

# Concepts<sup>™</sup> Serving Systems

Project	
Item	
Quantity	
CSI Section 11400	

38" utility serving counter, tiered

52" utility serving counter, tiered

66" utility serving counter, tiered

80" utility serving counter, tiered


94" utility serving counter, tiered


Approved \_\_\_\_

Date

#### Models

- DCBU-38 38" utility serving counter
- DCBU-52 52" utility serving counter
- DCBU-66 66" utility serving counter
- DCBU-80 80" utility serving counter
- DCBU-94 94" utility serving counter
- DCBU-120 120" utility serving counter
- DCBU-T38
  - DCBU-T52
  - DCBU-T66
  - DCBU-T80
  - DCBU-T94
  - DCBU-T120 120" utility serving counter, tiered





## Standard Features

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- 36" work height
- One year parts and labor standard warranty


# Options & Accessories

- Custom lengths available per inch
- Granite, Hanstone and Solid Surface top materials
- Laminated base panels
- Finished stainless steel or laminated end panels
- Décor panels
- Graphics packages
- FlexiShield<sup>®</sup> foodshields
- Signage with overstructures, lights and heatlamps
- Refrigerated base inserts
- Heated base inserts
- Dry storage base inserts
- Mechanical access doors
- Drop-ins
- Casters (stand alone units only)
- Kickplates (units with legs only)
- Trayslides
- 34" and 30" work heights

www.delfield.com














Specifications											
Model	Length	Depth	Height	Ship Weight		Model	Length	Depth	Height	Ship Weight	
DCBU-38	38.00″	36.00″	36.00″	171lbs/78kg		DCBU-T38	38.00″	36.00″	36.00″	171lbs/78kg	
DCBU-52	52.00″	36.00″	36.00″	234lbs/106kg		DCBU-T52	52.00″	36.00″	36.00″	234lbs/106kg	
DCBU-66	66.00″	36.00″	36.00″	297lbs/135kg		DCBU-T66	66.00″	36.00″	36.00″	297lbs/135kg	
DCBU-80	80.00″	36.00″	36.00″	360lbs/163kg		DCBU-T80	80.00″	36.00″	36.00″	360lbs/163kg	
DCBU-94	94.00″	36.00″	36.00″	423lbs/192kg		DCBU-T94	94.00″	36.00″	36.00″	423lbs/192kg	
DCBU-120	120.00″	36.00″	36.00″	540lbs/245kg		DCBU-T120	120.00″	36.00″	36.00″	540lbs/245kg	

Delfield reserves the right to make changes to the design or specifications without prior notice.





# Concepts<sup>™</sup> Serving Systems

Utility Serving Counter

### Specifications

**Exterior body** is constructed of 0.75" Melamine reinforced front and rear panels with 22 gauge stainless steel skin and 1" polyethylene horizontal rib supports. Horizontal brace on rear is constructed of 18 gauge galvanized steel. The exterior ends are unfinished.

**Exterior top** is constructed of 14 gauge stainless steel. Horizontal top supports on front and rear are constructed with 18 gauge galvanized steel. Top end supports are 12 gauge stainless steel.

**Interior base** bottom is constructed of 16 gauge galvanized steel. Vertical base support braces are 14 gauge galvanized steel.

Legs: Bases mounted on 6.12" adjustable legs.



Phone: 800-733-8948 or 989-773-7981 Fax: 800-669-0619 www.delfield.com Printed in the U.S.A. DSDCBU 03/10

