

HENNY PENNY 8 HEAD GAS PRESSURE FRYER

Model 680 Gas Fryer

SPECIFICATIONS

Height	60" (152.4 cm)
Width	24" (61 cm)
Depth	41½" (106 cm)
Floor Space	Approximately 7 sq. ft. (.65 sq. m.)
Pot Capacity	8 Head of chicken (24 lbs.)(10.9 Kg.) 95 lbs. shortening (40.86 Kg.)
Electrical	120 VAC, 1 Phase, 50/60 Hz, 10 Amp, 3 Wire Service
Heating	Propane or Natural Gas; 100,000 BTU/Hr.(29.3 Kw)
Pressure	12 PSI operating pressure (827 mbar) 14.5 PSI safety relief pressure (999 mbar)
Shipping Weight	Approximately 800 lbs. (360 Kg.)
Accessories Shipped	Five 1/2 size pan racks and carrier.

NOTE

A data plate, located on the right side panel, gives the information of the type of fryer, serial number, warranty date, and other information pertaining to fryer.

WARNING

This manual should be retained in a convenient location for future reference.

Wiring diagram for this appliance is located on the inside access door below the control panel.

Post in a prominent location, instructions to be followed in event user smells gas. This information shall be obtained by consulting the local gas supplier.

**FOR YOUR SAFETY**

**DO NOT STORE OR USE GASOLINE OR OTHER
FLAMMABLE VAPORS AND LIQUIDS IN THE
VICINITY OF THIS OR ANY OTHER APPLIANCE.**

Keep appliance area free and clear from combustibles.

Do not obstruct the flow of combustion and ventilation air. Adequate clearance must be left all around appliance for sufficient air to the combustion chamber.

NOTE

The Model 680 Fryer is not equipped with a continuous pilot. But Fryer can not be operated without electric power. Fryer will automatically return to normal operation when power is restored.

WARNING

WARNING: Improper installation, adjustment, alteration, service or maintenance can cause property damage, injury or death. Read the installation, operating and maintenance instructions thoroughly before installing or servicing this equipment.