

**GRILL-MAX**

# **GRILL-MAX® ROLLER GRILLS**

**MODEL  
20C, 30C, 45C, 50C & 75C  
54IC/ISC, 90IC/ISC  
Infinite and Electronic Controls**

## **Installation and Operation Instructions**

2M-Z8542 Rev. G 9/20/06



30SCBB

CE



C **UL** US  
LISTED

CLASSIFIED  
**UL**  
EPH

## **SAFETY SYMBOL**



These symbols are intended to alert the user to the presence of important operating and maintenance instructions in the manual accompanying the appliance.

---

## **RETAIN THIS MANUAL FOR FUTURE REFERENCE NOTICE**

Using any part other than genuine Star factory supplied parts relieves the manufacturer of all liability.

Star reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While Star Manufacturing exercises good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.

## **MAINTENANCE AND REPAIRS**

Contact your local authorized service agent for service or required maintenance. Please record the model number, serial number, voltage and purchase date in the area below and have it ready when you call to ensure faster service.

### **Authorized Service Agent**

Reference the listing provided with the unit

or

for an updated listing go to:

**Website:** [www.star-mfg.com](http://www.star-mfg.com)  
**E-mail:** [Service@star-mfg.com](mailto:Service@star-mfg.com)  
**Telephone:** (800) 807-9054 Local (314) 781-2777

### **The Star Service Help Desk**

**Business Hours:** 8:00 am to 4:30 p.m. Central Standard Time

**Telephone:** (800) 807-9054 Local (314) 781-2777  
**Fax:** (800) 396-2677 Local (314) 781-2714

**E-mail** [Parts@star-mfg.com](mailto:Parts@star-mfg.com)  
[Service@star-mfg.com](mailto:Service@star-mfg.com)  
[Warranty@star-mfg.com](mailto:Warranty@star-mfg.com)

**Website:** [www.star-mfg.com](http://www.star-mfg.com)

**Mailing Address:** Star Manufacturing International Inc.  
10 Sunnen Drive  
St. Louis, MO 63143  
U.S.A

## TABLE OF CONTENTS

	<b>PAGE NUMBER</b>
GENERAL SAFETY INFORMATION	3
GENERAL INSTALLATION INFORMATION	4
Connection Load	4
GENERAL OPERATING INSTRUCTIONS	5
Cleaning	5
<b>ELECTRONICALLY CONTROLLED:</b>	
Start-up, Heating & Programming	6
WARRANTY	7
WIRING DIAGRAM	8-13
EXPLODED VIEW (C Series)	14, 15
<b>PARTS LIST</b>	
20 MODEL SERIES	16
30 MODEL SERIES	17, 18
45 MODEL SERIES	19, 20
50 MODEL SERIES	21, 22
75 MODEL SERIES	23, 24
EXPLODED VIEW (iC/ISC Island Series)	26
<b>PARTS LIST</b>	
54 MODEL SERIES	27, 28
30 MODEL SERIES	29, 30

## GENERAL SAFETY INFORMATION



### CAUTION

This equipment is designed and sold for commercial use only by personnel trained and experienced in its operation and is not sold for consumer use in and around the home nor for use directly by the general public in food service locations.

Before using your new equipment, read and understand all the instructions & labels associated with the unit prior to putting it into operation. Make sure all people associated with its use understand the units operation & safety before they use the unit.

All shipping containers should be checked for freight damage both visible and concealed. This unit has been tested and carefully packaged to insure delivery of your unit in perfect condition. If equipment is received in damaged condition, either apparent or concealed, a claim must be made with the delivering carrier.

Concealed damage or loss - if damage or loss is not apparent until after equipment is unpacked, a request for inspection of concealed damage must be made with carrier within 15 days. Be certain to retain all contents plus external and internal packaging materials for inspection. The carrier will make an inspection and will supply necessary claim forms.

## **GENERAL INSTALLATION INFORMATION**

The grill should be connected to a wall type receptacle, a direct line or individual branch circuit. An individual branch circuit is preferred. If connected to an overloaded circuit the grill will not operate properly. The unit should be level when installed. Models equipped with bun boxes must be level to utilize the self-closing feature of the bun drawer. Adjustable 4-inch legs are standard on the 75 series and available for all other models.

This grill is equipped for the voltage shown on the nameplate. It will operate on alternating current only, however, the specified voltage must be applied.

### **CONNECTION LOAD:**

<b>INFINITE CONTROL</b>		<b>ELECTRONIC CONTROL</b>	
<b>MODEL SERIES</b>	<b>WATTAGE</b>	<b>MODEL SERIES</b>	<b>WATTAGE</b>
20C, 20SC	930	20SCE	930
30C, 30SC, 30CF, 30SCF, 30CBB, 30CBBC,		30CE, 30SCE, 30SCEX, 30CBBE	
30SCBB, 30CDV	1150	30SCBBE	1150
45C, 45SC, 45CBB, 45SCBB, 45CDV	1650	45SCE, 45SCRE	1650
50C, 50SC, 50CF, 50SCF, 50CBB, 50CBBC,		50CE, 50SCE, 50SCEX 50CBBE, 50SCBBE,	
50SCBB, 50CDV	1535	50CBBES	1535
54IC, 54ISC	1760	54ICE, 54ISCE	1760
75C, 75SC, 75CBB, 75SCBB, 75FF,		75CE, 75SCE, 75CBBE, 75CBBES,	
75SCF 208/240V	1810/2400	75SCBBE, 75SCRE 208/240V,	
75C, 75SC, 75CBB, 75SCBB,		75SCFE	1810/2400
75CDV 230V	2210	75CE, 75SCE, 75CBBE,	
75C, 75CF, 75SC, 75SCF, 75CBB,		75SCBBE, 75SCRE 120V	1730
75SCBB, 75CDV 120V	1700	90ICE, 90ISCE 208V	2133
75CFV 120V	2880	90ICE, 90ISCE 240V	2840
90IC, 90ISC 208V	2133		
90IC, 90ISC 240V	2840		



### **CAUTION**

**DO NOT CONNECT TO DIRECT CURRENT (DC).**

### **IMPORTANT**

**UNLEVEL UNITS COULD RESULT IN HAVING PRODUCT TRAVEL FROM ONE SIDE TO THE NEXT, OVER A PERIOD OF TIME.**

## **GENERAL OPERATING PROCEDURES**

The main switch located on the control panel controls all the power to the unit. With the main switch on, the rollers will turn, but no heat will be supplied unless the heat controls are turned on. For flexibility the heating section of the grill is divided into two individually controlled heat sections. The right control regulates the heat to the rear section and the left control regulates the heat to the front section. The switch is lighted to indicate when the unit is turned on. On Infinite control grills a signal light is provided above each heat control and indicates when the heated section is on. An additional light is provided on the end housing of the unit. This light indicates the position of the main power switch when either the optional bun drawer front or merchandising door obstructs the control panel view. Bun box equipped models require the removal of the bun drawer to remove the bun pan and to remove the drip tray when access to the rear of the unit is obstructed. To remove the bun drawer, grab the drawer by both sides and pull it out all the way. Lift the front to unhook the drawer slide from rear drawer roller. Pull the drawer the remainder of the way out. Use caution not to drop the drawer when reaching the end of the drawer slide travel. To reinsert the drawer, first hook the drawer slide over the front roller then the back roller. Do not operate the grill without the drip tray in place.

### **COOKING**

The heat controls provide an infinite range of settings for a wide variety of food products and installation conditions. The size, content and shape of the product and the installation of any sanitary food shields or sneeze guards will determine the proper heat setting. The National Sanitation Foundation requires that perishable foods be kept at 140°F or above during serving periods. Do not keep the food product on a low setting for more than two hours. The product should be kept refrigerated until ready for use. Cooking time will vary depending on the starting temperature and the qualities of the product. For best results when cooking hot dogs use a hot dog made for grilling.



### **CAUTION**

**USE ONLY PLASTIC OR COATED UTENSILS FOR HANDLING THE FOOD PRODUCT. METAL COULD SCRATCH THE ROLLER COATING AND AFFECT THE CLEANABILITY OF THE ROLLERS.**



### **CAUTION**

**DO NOT USE STEEL WOOL OR ABRASIVE CLEANERS ON THE ROLLERS. SCRAPES WILL VOID THE WARRANTY. USE CAUTION WHEN CLEANING A HOT GRILL TO PREVENT BURNS OR BODILY INJURY.**

### **CLEANING**

Before cooking for the first time, wash the rollers with mild soap and water using a soft cloth. Do not use metal utensils when cooking. Scratches and scrapes will hamper the ability to easily clean the rollers. Never use steel wool or abrasive cleaners on the rollers. This will damage the finish and the roller bearings. The rollers clean most easily when hot. Use caution when cleaning to prevent burns and bodily injury. Clean the rollers with a clean wet cloth. Wipe from the ends to the center to prevent forcing debris into the roller seals. Do not allow the food product to build up and bake onto the roller surface. The exterior of the unit should be cleaned using a mild detergent or non-abrasive cleaner. Clean the entire unit daily to insure long life and satisfactory performance as well as to maintain an attractive appearance. Do not clean with water jet equipment.

### **MAINTENANCE AND REPAIRS**

Contact the factory, a service representative or a local service company for service or required maintenance. Replacement cord sets must be purchased from Star Manufacturing International, Inc.

# OPERATING PROCEDURES FOR ELECTRONIC GRILLS

## START-UP

When initially turning on power to the electronic controlled grill, it will be in the HOLD mode. The displays will flash until the setpoint temperature is reached. The grill will beep once when it is up to temperature. Infinite controlled grills have no notification when operating temperature is reached.

## HEATING

The size, content, and shape of the product and the installation of any sanitary food shields or sneeze guards will determine the proper heat setting. The National Sanitation Foundation requires that all perishable foods be kept at 140°F or above during serving periods.

The product should be kept refrigerated until ready to use. Heating times vary depending on the starting temperature and the qualities of the product. For best results, use a hot dog made for grilling.

Before cooking for the first time, wash the rollers with mild soap and water using a soft cloth. When the electronic controlled grills are initially turned on, the displays will flash the HOLD temperature until the grill reaches that setpoint.

With the grill preheated to the hold temperature, load with the desired product and press the HEAT button. The grill will then go into the heat mode and the displays will flash until the HEAT temperature is reached. After the heating cycle, the grill will beep four times and the food product will be at the serving temperature.


**NOTE:** Based on the product being heated, some experimentation is required to find the optimal HEAT temperature and HEAT time to bring the product up to temperature in an acceptable amount of time.

## PROGRAMMING

The electronic controls provide programmable HEAT and HOLD settings for a variety of food products and installation conditions.

To program the electronic roller grill:

1. With the grill on, push and hold the and on the side you wish to program together for three seconds until the alarm beeps once and the display blinks.
2. To set the heat temperature and/or heat time, push the heat button. The last saved heat time will be displayed and the HEAT LED will flash and HEAT TIME indicator will be ON. Use the and buttons to adjust to the desired time, then press the HEAT button again. The HEAT TIME LED indicator will turn off and the HEAT TEMP LED indicator will now be lit. When programming the HEAT temperature is complete, push the HEAT button one more time to exit the programming mode.
3. To set the hold temperature, repeat step 1 above then push the HOLD button. The last saved hold temperature will be displayed and HOLD LED will be ON. Use the and buttons to adjust to the desired temperature, then press the HOLD button again to exit programming mode.
4. To turn the heat off to the front or rear section, press and hold the for that section for 3 seconds. "OFF" will be displayed. To turn the section back on, press the HEAT or HOLD button.



**THOROUGHLY INSPECT YOUR UNIT ON ARRIVAL**

This unit has been tested for proper operation before leaving our plant to insure delivery of your unit in perfect condition. However, there are instances in which the unit may be damaged in transit. In the event you discover any type of damage to your product upon receipt, you must immediately contact the transportation company who delivered the item to you and initiate your claim with same. If this procedure is not followed, it may affect the warranty status of the unit.

**LIMITED EQUIPMENT WARRANTY**

All workmanship and material in Star products have a one (1) year limited warranty on parts & labor in the United States and Canada. Such warranty is limited to the original purchaser only and shall be effective from the date the equipment is placed in service. Star's obligation under this warranty is limited to the repair of defects without charge, by the factory authorized service agency or one of its sub-agencies. Models that are considered portable (*see below*) should be taken to the closest Star service agency, transportation prepaid.

- > Star will not assume any responsibility for loss of revenue.
- > On all shipments outside the United States and Canada, see International Warranty.
- \* The warranty period for the JetStar six (6) ounce & Super JetStar eight (8) ounce series popcorn machines is two (2) years.
- \* The warranty period for the Chrome-Max Griddles is five (5) years on the griddle surface. See detailed warranty provided with unit.
- \* The warranty period for Teflon/Dura-Tec coatings is one year under normal use and reasonable care. This warranty does not apply if damage occurs to Teflon/Dura-Tec coatings from improper cleaning, maintenance, use of metallic utensils, or abrasive cleaners, abrasive pads, product identifiers and point-of-sale attachments, or any other non-food object that comes in continuous contact with the roller coating. This warranty does not apply to the "non-stick" properties of such materials.
- > This warranty does not apply to "Special Products" but to regular catalog items only. Star's warranty on "Special Products" is six (6) months on parts and ninety (90) days on labor.
- > This warranty does not apply to any item that is disassembled or tampered with for any purpose other than repair by a Star Authorized Service Center or the Service Center's sub-agency.
- > This warranty does not apply if damage occurs from improper installation, misuse, wrong voltage, wrong gas or operated contrary to the Installation and Operating instructions.
- > This warranty is not valid on Conveyor Ovens **unless** a "start-up/check-out" has been performed by a Factory Authorized Technician.

**PARTS WARRANTY**

Parts that are sold to repair out of warranty equipment are warranted for ninety (90) days. The part only is warranted. Labor to replace the part is chargeable to the customer.

**SERVICES NOT COVERED BY WARRANTY**

1. Travel time and mileage rendered beyond the 50 mile radius limit
2. Mileage and travel time on portable equipment (*see below*)
3. Labor to replace such items that can be replaced easily during a daily cleaning routine, ie; removable kettles on fryers, knobs, grease drawers on griddles, etc.
4. Installation of equipment
5. Damages due to improper installation
6. Damages from abuse or misuse
7. Operated contrary to the Operating and Installation Instructions
8. Cleaning of equipment
9. Seasoning of griddle plates
10. Voltage conversions
11. Gas conversions
12. Pilot light adjustment
13. Miscellaneous adjustments
14. Thermostat calibration and by-pass adjustment
15. Resetting of circuit breakers or safety controls or reset buttons
16. Replacement of bulbs
17. Replacement of fuses
18. Repair of damage created during transit, delivery, & installation OR created by acts of God

**PORTABLE EQUIPMENT**

Star will not honor service bills that include travel time and mileage charges for servicing any products considered "Portable" including items listed below. These products should be taken to the Service Agency for repair:

- \* The Model 510FD Fryer.
- \* The Model 526TOA Toaster Oven.
- \* The Model J4R, 4 oz. Popcorn Machine.
- \* The Model 518CMA & 526CMA Cheese Melter.
- \* The Model 12MC & 15MC & 18MCP Hot Food Merchandisers.
- \* The Model 12NCPW & 15NCPW Nacho Chip/Popcorn Warmer.
- \* All Hot Dog Equipment **except Roller Grills & Drawer Bun Warmers.**
- \* All Nacho Cheese Warmers **except Model 11WLA Series Nacho Cheese Warmer.**
- \* All Condiment Dispensers **except the Model HPD & SPD Series Dispenser.**
- \* All Specialty Food Warmers **except Model 130R, 11RW Series, and 11WSA Series.**
- \* All QCS/RCS Series Toasters **except Model QCS3 & RCS3 Series.**


**ALL:**

- \* Pop-Up Toasters
- \* Butter Dispensers
- \* Pretzel Merchandisers  
(Model 16PD-A Only)
- \* Pastry Display Cabinets
- \* Nacho Chip Merchandisers
- \* Accessories of any kind
- \* Sneeze Guards
- \* Pizza Ovens  
(Model PO12 Only)
- \* Heat Lamps
- \* Pumps-Manual

The foregoing warranty is in lieu of any and all other warranties expressed or implied and constitutes the entire warranty.

**FOR ASSISTANCE**

Should you need any assistance regarding the Operation or Maintenance of any Star equipment; write, phone, fax or email our Service Department. In all correspondence mention the Model number and the Serial number of your unit, and the voltage or type of gas you are using.



THIS DRAWING CONTAINS INFORMATION CONFIDENTIAL TO STAR MFG. INT'L. INC.  
NO REPRODUCTION OR DISCLOSURE OF ITS CONTENTS IS PERMITTED.

**STAR MANUFACTURING INTERNATIONAL INC.**

8/07/2000

Rev D


**MODEL: RG SERIES, INFINITE CONTROLS**








STAR MANUFACTURING INTERNATIONAL INC 101 SUMNER DRIVE, ST. LOUIS, MO. 63143, USA	MATERIAL	-	MODEL NO.	75AFV	PART NO.	SK1917
DR DWD	CK.	DATE 11/12/02	TITLE	WIRING DIAGRAM 75AFV - 120V	REVISIONS	LTR
TOLENCES UNLESS OTHERWISE NOTED FRACTIONS $\pm 1/64$ DECIMALS $\pm .005$	ANGLES $\pm 1^\circ$	THIS DRAWING CONTAINS INFORMATION CONFIDENTIAL TO STAR MFG. INT'L. INC. NO REPRODUCTION OR DISCLOSURE OF ITS CONTENTS IS PERMITTED.	DATE	DESCRIPTION OF CHANGE	DR	-





## MODEL: RGE SERIES, ELECTRONIC CONTROLS

THIS DRAWING CONTAINS INFORMATION CONFIDENTIAL TO STAR MFG. INT'L. INC.  
NO REPRODUCTION OR DISCLOSURE OF ITS CONTENTS IS PERMITTED.


**STAR MANUFACTURING INTERNATIONAL INC.**

9/17/2002

Rev -

**MODEL: IC/SC ISLAND INFINITE CONTROL**

THIS DRAWING CONTAINS INFORMATION CONFIDENTIAL TO STAR MFG. INT'L. INC.  
NO REPRODUCTION OR DISCLOSURE OF ITS CONTENTS IS PERMITTED.






**STAR MANUFACTURING INTERNATIONAL INC.**


SK2197 Rev. - 5/24/2006

**MODEL: ICE/ISCE ISLAND ELECTRONIC CONTROL**

THIS DRAWING CONTAINS INFORMATION CONFIDENTIAL TO STAR MFG. INT'L. INC.  
NO REPRODUCTION OR DISCLOSURE OF ITS CONTENTS IS PERMITTED.




REFER TO THE PARTS LIST SPECIFIC TO YOUR MODEL FOR MORE DETAIL INFORMATION.





STAR MANUFACTURING INTERNATIONAL INC.  
SK2110  
01-14-05

REFER TO THE PARTS LIST SPECIFIC TO  
YOUR MODEL FOR MORE DETAIL INFORMATION.



# PARTS LIST

December 8, 2006 Rev. G

## Grill-Max Roller Grills

### MODEL 20 Series

Key Number	Part Number	Number Per Unit	Description & Model Designation	
1	A5-RG2028	1	BODY ASSY	20CR/SCR
	A5-RG2027	1	BODY ASSY	20C/SC
2	A5-Z2184	1	DRIP TRAY	20C/SC
3	A5-Z8409	1	BACK-CHAIN RETAINER SPACER	20C/SC
4	A5-Z8410	1	ANGLE CHAIN RETAINER UPPER	20C/SC
5	A5-Z2169	2	SIDE PANEL	20C/SC
6	2N-Z2181	11	ELEMENT 120V 20	20C-120V
6	2N-Z2611	11	ELEMENT 230V 20	20C-230V
7	A5-Z6719	1	CHAIN GUIDE	20C/SC
8	2P-Z2242	1	CHAIN	20C/SC
9	PS-RG2029	11	ROLLER ASSY CHROME	20C
	PS-RG2030	11	ROLLER ASSY POLY	20SC before serial no. xxxx
	PS-RG2049	11	ROLLER ASSY HI-GRIP	20SC after serial no. xxxx
10	2A-Z6614	3	IDLER	ALL
11	2A-Z8017	3	BUSHING, IDLER	ALL
12	A5-RG2042	1	ARM ASSY- CHAIN TENSIONER	ALL
13	2P-Z8074	1	SPRING	ALL
14	2P-Z2538	1	MOTOR SPROCKET	ALL
15	2U-Z6485	1	MOTOR-120 VOLT	ALL 120V MODELS
	2U-Z6487	1	MOTOR-230/240 VOLT	ALL 230/240V MODELS
16	A5-RG2046	1	MOTOR MOUNTING ASSY	20C/SC
17	A5-RG2036	1	CORD ASSY 120V	20C/SC (120V MODELS EXCEPT CSA)
	2E-Z0512	1	CORD SET EUR 10AMP	20C/SC (230V MODELS)
18	2K-Y2968	1	CORD BUSHING	20C/SC 120V
	2K-Y3240	1	CORD BUSHING	20C/SC 240V
19	2E-Y9227	1	CORD INLET IEC320 10 AMP	20C/SC (230V MODELS)
20	A5-Z5335	1	BOTTOM COVER PLATE	ALL
22	A5-Z9344	1	MOUNTING BRACKET	20C/SC
23	2J-Z2192	2	CONTROL 230/240 VOLT	20C/SC
	2J-Z2195	2	CONTROL 120 VOLT	20C/SC
24	2K-Z1971	9	SPACERS	30CE/SCE
25	2E-Z5565-5	1	RIBBON CONNECTOR	30CE/SCE
26	2E-Z5565-3	1	SENSOR FRONT	30CE/SCE
27	2E-Z5565-4	1	SENSOR REAR	30CE/SCE
28	2E-Z5565-2	1	POWER BOARD	30CE/SCE
29	PS-RG3092	1	CONTROL BOARD	30CE/SCE
30	A5-Z7853	1	CONTROL PANEL	20C/SC
	A5-RG2047	1	CONTROL PANEL	20SCE
31	2M-Z8323	1	CONTROL PANEL LABEL	20C
	2M-Z8324	1	CONTROL PANEL LABEL	20SC
	2M-Z9529	1	CONTROL PANEL LABEL	20SCE
32	2J-Z2329	3	PILOT LIGHT RED	20C/SC (120V & 240V MODELS)
	2J-Z3157	3	PILOT LIGHT YELLOW	20C/SC (230V MODELS)
33	2E-Z1858	1	SWITCH-RED LIGHTED	120V & 240V MODELS
	2E-Z3156	1	SWITCH-YELLOW LIGHTED	230V MODELS
34	2R-Z1854	2	KNOB W/SET SCREW	20C/SC
35	A5-Z2509	4	PANEL-INSULATOR	20C/SC
36	2I-Z9865	22	O-RING SILICONE, TUBE SEAL	20C/SC manuf. after 8/07
	2P-Z6455	22	TUBE SEAL, SOLID	20C/SC manuf. before 8/07
37	2I-Z2175	22	O-RING SEAL	20C/SC
38	2P-Z2174	22	TUBE GUIDE	20C/SC
39	2R-Z5846	4	LEGS	20C/SC
40	2K-Z2895	4	ANTI SHORT BUSHING	ALL
41	A5-Z7650	1	ELEMENT RETAINER - UPPER	20C/SC
42	A5-Z7656	1	ELEMENT RETAINER - LOWER	20C/SC
58	2P-Z0584	1	TONGS	ALL
NOT SHOWN	2E-Z3619	1	WIRE SET-230V MODELS	
NOT SHOWN	2E-Z8320	1	WIRE SET-120V MODELS	20C/SC
NOT SHOWN	PS-Z3018	--	TUBE ASSEMBLY SLEEVE	



Star Manufacturing International, Inc.

# PARTS LIST

December 8, 2006 Rev. G

**Grill-Max Roller Grills**  
MODEL **30 Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
1	A5-RG3062	1	BODY ASSY	30C/SC
	A5-RG3070	1	BODY ASSY	30CBB/SCBB
	A5-RG3087	1	BODY ASSY	30CBBC/SCBBC
	A5-RG3068	1	BODY ASSY	30CF/SCF
	A5-RG3066	1	BODY ASSY	30CR/SCR
	A5-RG3072	1	BODY ASSY	30CRBB/SCRBB
2	A5-Z2185	1	DRIP TRAY	30C/SC
3	A5-Z8409	1	BACK-CHAIN RETAINER SPACER	30C/SC
4	A5-Z8410	1	ANGLE CHAIN RETAINER UPPER	30C/SC
5	A5-Z2169	2	SIDE PANEL	30C/SC
	A5-Z5401	2	SIDE PANEL	30CF/SCF
6	2N-Z2178	11	ELEMENT 120V 30/45	30C/SC-120V
	2N-Z2194	11	ELEMENT 230V 30/45	30C/SC-230V
7	A5-Z6719	1	CHAIN GUIDE	30C/SC
8	2P-Z2242	1	CHAIN	30C/SC
	2P-Z5384	1	CHAIN	30CF/SCF
9	PS-RG3077	11	ROLLER ASSY CHROME	30C
	PS-RG3078	11	ROLLER ASSY POLY	30SC before serial no. C3004650
	PS-RG3078	11	ROLLER ASSY POLY	30SCE before serial no. C3004265
	PS-RG30117	11	ROLLER ASSY HI-GRIP	30SC serial no or after. C3004650
	PS-RG30117	11	ROLLER ASSY HI-GRIP	30SCE serial no or after. C3004650
10	2A-Z6614	3	IDLER	ALL
11	2A-Z8017	3	BUSHING, IDLER	ALL
12	A5-RG2042	1	ARM ASSY- CHAIN TENSIONER	ALL
13	2P-Z8074	1	SPRING	ALL
14	2P-Z2538	1	MOTOR SPROCKET	ALL
15	2U-Z6485	1	MOTOR-120 VOLT	ALL 120V MODELS
	2U-Z6487	1	MOTOR-230/240 VOLT	ALL 230/240V MODELS
16	A5-RG2046	1	MOTOR MOUNTING ASSY	30C/SC
	A5-RG5040	1	MOTOR MOUNTING ASSY	30CF/SCF
17	A5-RG2036	1	CORD ASSY 120V	30C/RC (120V MODELS EXCEPT CSA)
	2E-Z0512	1	CORD SET EUR 10AMP	30C/SC (230V MODELS)
18	2K-Y3240	1	CORD BUSHING	30C/SC 240V
	2K-Y2968	1	CORD BUSHING	30C/SC 120V
	2K-Y2968	1	CORD BUSHING	30CSA
19	2E-Y9227	1	CORD INLET IEC320 10 AMP	30C/SC (230V MODELS)
20	A5-Z5335	1	BOTTOM COVER PLATE	ALL
21	2P-Z1540	2	HOLE PLUG	ALL EXCEPT CLEAR BUNBOX MODELS (CBBC, SCBBC)
22	A5-Z9344	1	MOUNTING BRACKET	30C/SC
	A5-RG4554	1	MOUNTING BRACKET ASSY	30CE/SCE
23	2J-Z2192	2	CONTROL 230/240 VOLT	30C/SC
	2J-Z2195	2	CONTROL 120 VOLT	30C/SC
	PS-RG3091	1	ELECTRONIC CONTROL 120V	30CE/SCE
	A5-Z6002	1	ELECTRONIC CONTROL 230/240V	30CE/SCE
24	2K-Z1971	9	SPACERS	30CE/SCE
25	2E-Z5565-5	1	RIBBON CONNECTOR	30CE/SCE
26	2E-Z5565-3	1	SENSOR FRONT	30CE/SCE
27	2E-Z5565-4	1	SENSOR REAR	30CE/SCE
28	2E-Z5565-2	1	POWER BOARD	30CE/SCE
29	PS-RG3092	1	CONTROL BOARD	30CE/SCE

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

Some items are included for illustrative purposes only and in certain instances may not be available.

PAGE 1  
OF 2

# PARTS LIST

December 8, 2006 Rev. G

**Grill-Max Roller Grills**  
MODEL **30 Series con't**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
30	A5-Z7651	1	CONTROL PANEL	30C/SC
	A5-Z7753	1	CONTROL PANEL	30CBB/SCBB
	A5-RG3069	1	CONTROL PANEL	30CE/SCE
	A5-RG3071	1	CONTROL PANEL	30CBBE/SCBBE
31	2M-Z8325	1	CONTROL PANEL LABEL	30C
	2M-Z8326	1	CONTROL PANEL LABEL	30CBB
	2M-Z8328	1	CONTROL PANEL LABEL	30CBBE
	2M-Z8327	1	CONTROL PANEL LABEL	30CE
	2M-Z8329	1	CONTROL PANEL LABEL	30SC
	2M-Z8330	1	CONTROL PANEL LABEL	30SCBB
	2M-Z8331	1	CONTROL PANEL LABEL	30SCBBE
	2M-Z8332	1	CONTROL PANEL LABEL	30SCE
32	2J-Z2329	3	PILOT LIGHT RED	30C/SC (120V & 240V MODELS)
	2J-Z3157	3	PILOT LIGHT YELLOW	30C/SC (230V MODELS)
	2J-Z2329	1	PILOT LIGHT RED	30CE/SCE (120V & 240V MODELS)
	2J-Z3157	1	PILOT LIGHT YELLOW	30CE/SCE (230V MODELS)
33	2E-Z1858	1	SWITCH-RED LIGHTED	120V & 240V MODELS
	2E-Z3156	1	SWITCH-YELLOW LIGHTED	230V MODELS
34	2R-Z1854	2	KNOB W/SET SCREW	30C/SC
35	A5-Z2509	4	PANEL-INSULATOR	30C/SC
36	2I-Z9865	22	O-RING SILICONE, TUBE SEAL	30C/SC serial no. or after C3004650
	2P-Z6455	22	TUBE SEAL, SOLID	30C/SC before serial no. C3004650
	2I-Z9865	22	O-RING SILICONE, TUBE SEAL	30CE/SCE serial no. or after C3004265
	2P-Z6455	22	TUBE SEAL, SOLID	30C/SC before serial no. C3004265
37	2I-Z2175	22	ORING SEAL, TUBE GUIDE	30C/SC
38	2P-Z2174	22	TUBE GUIDE	30C/SC
39	2R-Z5846	4	LEGS	30C/SC
40	2K-Z2895	4	ANTI SHORT BUSHING	ALL
41	A5-Z7650	1	ELEMENT RETAINER - UPPER	30C/SC
42	A5-Z7656	1	ELEMENT RETAINER - LOWER	30C/SC
	A5-RG3094	1	ELEMENT RETAINER ASSY - LOW	30CE/SCE
45	2P-Z5098	11	GREASE SEAL	30CDV/SCDV
46	A5-Z5158	1	GRILL DIVIDER	30CDV/SCDV
47	2D-Z5898	1	PAN 2/3 X 4" DEEP	30CBB/SCBB
48	2P-Z0315	4	DRAWER ROLLER W/SCREW	ALL BUNBOX (CBB/SCBB) MODELS
49	A5-RG3030	1	DRAWER ASSY	30CBB/SCBB
50	A5-RG3009	1	DRAWER FRONT ASSEMBLY	30CBB/SCBB
51	2M-Z2377	1	DRAWER LABEL	30CBB/SCBB
52	2A-Z4677	1	SHAFT	30CBBC/SCBBC
53	A5-Z4660	1	DOOR BRACKET	30CBBC/SCBBC
54	2C-Z4680	1	RETAINER RING	30CBBC/SCBBC
55	A5-Z4661	1	SPRING MOUNT BRACKET	30CBBC/SCBBC
56	A5-Z4657	1	DOOR ARM	30CBBC/SCBBC
57	2P-Z4683	1	EXTENSION SPRING	30CBBC/SCBBC
58	2P-Z0584	1	TONGS	ALL
59	2A-Z4333	2	RETAINER PIN	30CBBC/SCBBC
60	2P-Z4337	1	COMPRESSION SPRING	30CBBC/SCBBC
61	2A-Z4332	2	SHOULDER SCREW	30CBBC/SCBBC
62	A5-RG3037	1	FRONT DOOR	30CBBC/SCBBC
	A5-RG5016	1	FRONT DOOR-GLASS	30CBBC/SCBBC
NOT SHOWN	2E-Z8320	1	WIRE SET	30C/SC (INFINITE CONTROLS)
NOT SHOWN	2E-Z8414	1	WIRE SET	30CE/SCE (ELECTRONIC CONTROLS)
NOT SHOWN	PS-Z3018	--	TUBE ASSEMBLY SLEEVE	

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

Some items are included for illustrative purposes only and in certain instances may not be available.

PAGE 2  
OF 2

# PARTS LIST

December 8, 2006 Rev. G

**Grill-Max Roller Grills**  
**MODEL 45 Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
1	A5-RG4533	1	BODY ASSY	45C/SC
	A5-RG4536	1	BODY ASSY	45CBB/SCBB
	A5-RG4534	1	BODY ASSY	45CR/SCR
	A5-RG4537	1	BODY ASSY	45CRBB/SCRBB
2	A5-Z2186	1	DRIP TRAY	45C/SC
3	A5-Z8411	1	BACK-CHAIN RETAINER SPACER	45C/SC
4	A5-Z8412	1	ANGLE CHAIN RETAINER UPPER	45C/SC
5	A5-Z2265	2	SIDE PANEL	45C/SC
	A5-Z5347	2	SIDE PANEL	45CF/SCF
6	2N-Z2178	16	ELEMENT 120V 30/45	45C/SC-120V
	2N-Z2194	16	ELEMENT 230V 30/45	45C/SC-230V
7	A5-Z6615	1	CHAIN GUIDE	45C/SC
8	2P-Z2266	1	CHAIN	45C/SC
	2P-Z5336	1	CHAIN	45CF/SCF
9	PS-RG3077	16	ROLLER ASSY CHROME	45C
	PS-RG30117	16	ROLLER ASSY HI-GRIP	45SC serial no. or after C4501176
	PS-RG3078	16	ROLLER ASSY POLY	45SC serial no. or before C4501175
10	2A-Z6614	3	IDLER	ALL
11	2A-Z8017	3	BUSHING, IDLER	ALL
12	A5-RG2042	1	ARM ASSY- CHAIN TENSIONER	ALL
13	2P-Z8074	1	SPRING	ALL
14	2P-Z2538	1	MOTOR SPROCKET	ALL
15	2U-Z6485	1	MOTOR-120 VOLT	ALL 120V MODELS
	2U-Z6487	1	MOTOR-230/240 VOLT	ALL 230/240V MODELS
16	A5-RG2046	1	MOTOR MOUNTING ASSY	45C/SC
	A5-RG5040	1	MOTOR MOUNTING ASSY	45CF/SCF
17	A5-RG2036	1	CORD ASSY 120V	45C/SC (120V MODELS EXCEPT CSA)
	2E-Z0512	1	CORD SET EUR 10AMP	45C/SC (230V MODELS)
	A5-RG2041	1	CORD ASSY 120V	45C/SC (120V CSA MODELS)
18	2K-Y3240	1	CORD BUSHING	45C/SC 240V MODELS
	2K-Y2968	1	CORD BUSHING	45C/SC 120V
	2K-Y2968	1	CORD BUSHING	45CSA
19	2E-Y9227	1	CORD INLET IEC320 10 AMP	45C/SC (230V MODELS)
20	A5-Z5335	1	BOTTOM COVER PLATE	ALL
21	2P-Z1540	2	HOLE PLUG	ALL EXCEPT CLEAR BUNBOX MODELS (CBBC, SCBBC)
22	A5-Z9344	1	MOUNTING BRACKET	45C/SC
	A5-RG4554	1	MOUNTING BRACKET ASSY	45CE/SCE
23	2J-Z2192	2	CONTROL 230/240 VOLT	45C/SC
	2J-Z2195	2	CONTROL 120 VOLT	45C/SC
	PS-RG3091	1	ELECTRONIC CONTROL 120V	45CE/SCE
	A5-Z6002	1	ELECTRONIC CONTROL 230/240V	45CE/SCE
24	2K-Z1971	9	SPACERS	45CE/SCE
25	2E-Z5565-5	1	RIBBON CONNECTOR	45CE/SCE
26	2E-Z5565-3	1	SENSOR FRONT	45CE/SCE
27	2E-Z5565-4	1	SENSOR REAR	45CE/SCE
28	2E-Z5565-2	1	POWER BOARD	45CE/SCE
29	PS-RG3092	1	CONTROL BOARD	45CE/SCE
30	A5-Z7651	1	CONTROL PANEL	45C/SC
	A5-Z7753	1	CONTROL PANEL ASSY	45CBB/SCBB
	A5-RG3069	1	CONTROL PANEL	45CE/SCE
	A5-RG3071	1	CONTROL PANEL	45CBBE/SCBBE

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 1  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.



**Star Manufacturing International, Inc.**

# PARTS LIST

December 8, 2006 Rev. G

**Grill-Max Roller Grills**  
MODEL **45 Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
31	2M-Z8325	1	CONTROL PANEL LABEL	45C
	2M-Z8326	1	CONTROL PANEL LABEL	45CBB
	2M-Z8327	1	CONTROL PANEL LABEL	45CE
	2M-Z8329	1	CONTROL PANEL LABEL	45SC
	2M-Z8330	1	CONTROL PANEL LABEL	45SCBB
32	2J-Z2329	3	PILOT LIGHT RED	45C/SC (120V & 240V MODELS)
	2J-Z3157	3	PILOT LIGHT YELLOW	45C/SC (230V MODELS)
32	2J-Z2329	1	PILOT LIGHT RED	45CE/SCE (120V & 240V MODELS)
	2J-Z3157	1	PILOT LIGHT YELLOW	45CE/SCE (230V MODELS)
33	2E-Z1858	1	SWITCH-RED LIGHTED	120V & 240V MODELS
	2E-Z3156	1	SWITCH-YELLOW LIGHTED	230V MODELS
34	2R-Z1854	2	KNOB W/SET SCREW	45C/SC
35	A5-Z2510	4	PANEL-INSULATOR	45C/SC
36	2I-Z9865	32	O-RING SILICONE, TUBE SEAL	45C/SC serial no. or after C4501176
	2P-Z6455	32	TUBE SEAL, SOLID	45C/SC serial no. or before C4501175
37	2I-Z2175	32	ORING SEAL	45C/SC
38	2P-Z2174	32	TUBE GUIDE	45C/SC
39	2R-Z5846	4	LEGS	45C/SC
40	2K-Z2895	4	ANTI SHORT BUSHING	ALL
41	A5-Z6619	1	ELEMENT RETAINER - UPPER	45C/SC
42	A5-Z6622	1	ELEMENT RETAINER - LOWER	45C/SC
	A5-RG4549	1	ELEMENT RETAINER ASSY - LOW	45CE/SCE
45	2P-Z5098	16	GREASE SEAL	45CDV/SCDV
46	A5-Z5157	1	GRILL DIVIDER	45CDV/SCDV
47	2D-Z5898	1	PAN 2/3 X 4" DEEP	45CBB/SCBB
48	2P-Z0315	4	DRAWER ROLLER W/SCREW	ALL BUNBOX (CBB/SCBB) MODELS
49	A5-RG3030	1	DRAWER ASSY	45CBB/SCBB
50	A5-RG3009	1	DRAWER FRONT ASSEMBLY	45CBB/SCBB
51	2M-Z2377	1	DRAWER LABEL	45CBB/SCBB
58	2P-Z0584	1	TONGS	ALL
NOT SHOWN	2E-Z8320	1	WIRE SET	45C/SC (INFINITE CONTROLS)
NOT SHOWN	2E-Z8414	1	WIRE SET	45CE/SCE (ELECTRONIC CONTROLS)
NOT SHOWN	PS-Z3018	--	TUBE ASSEMBLY SLEEVE	

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 2  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.



**Star Manufacturing International, Inc.**

# PARTS LIST

December 8, 2006 Rev. G

**Grill-Max Roller Grills**  
**MODEL 50 Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
1	A5-RG5028	1	BODY ASSY	50 C/SC
	A5-RG5029	1	BODY ASSY	50 CR/SCR
	A5-RG5031	1	BODY ASSY	50CBB/SCBB
	A5-RG5037	1	BODY ASSY	50CBBC/SCBBC
	A5-RG5030	1	BODY ASSY	50CF/50SCF
	A5-RG5032	1	BODY ASSY	50CRBB/SCRBB
2	A5-Z2305	1	DRIP TRAY	50C/SC
2A	A5-Z4273	1	DRIP TRAY	50SC-ST, 50SCE-ST, 50SC-STS
2B	A5-RG5012	1	DRIP TRAY ASSY	50SC-ST, 50SCE-ST, 50SC-STS
3	A5-Z8409	1	BACK-CHAIN RETAINER SPACER	50C/SC
4	A5-Z8410	1	ANGLE CHAIN RETAINER UPPER	50C/SC
5	A5-Z2169	2	SIDE PANEL	50C/SC
	A5-Z5401	2	SIDE PANEL	50CF/SCF
6	2N-Z2179	11	ELEMENT 120V 50	50C/SC-120V
	2N-Z2193	11	ELEMENT 230V 50/75	50C/SC-230V
7	A5-Z6719	1	CHAIN GUIDE	50C/SC
8	2P-Z2242	1	CHAIN	50C/SC
	2P-Z5384	1	CHAIN	50CF/SCF
9	PS-RG7562	11	ROLLER ASSY CHROME	50C
	PS-RG7595	11	ROLLER ASSY HI-GRIP	50SC serial no. or after C5003478
	PS-RG7563	11	ROLLER ASSY POLY	50SC serial no. or before C5003477
10	2A-Z6614	3	IDLER	ALL
11	2A-Z8017	3	BUSHING, IDLER	ALL
12	A5-RG2042	1	ARM ASSY- CHAIN TENSIONER	ALL
13	2P-Z8074	1	SPRING	ALL
14	2P-Z2538	1	MOTOR SPROCKET	ALL
15	2U-Z6485	1	MOTOR-120 VOLT	ALL 120V MODELS
	2U-Z6487	1	MOTOR-230/240 VOLT	ALL 230/240V MODELS
16	A5-RG2046	1	MOTOR MOUNTING ASSY	50C/SC
	A5-RG5040	1	MOTOR MOUNTING ASSY	50CF/SCF
17	A5-RG2036	1	CORD ASSY 120V	50C/SC (120V MODELS EXCEPT CSA)
	2E-Z0512	1	CORD SET EUR 10AMP	50C/SC (230V MODELS)
18	2K-Y3240	1	CORD BUSHING	50C/SC 240V
	2K-Y2968	1	CORD BUSHING	50C/SC 120V
	2K-Y2968	1	CORD BUSHING	50CSA
19	2E-Y9227	1	CORD INLET IEC320 10 AMP	50C/SC (230V MODELS)
20	A5-Z5335	1	BOTTOM COVER PLATE	ALL
21	2P-Z1540	2	HOLE PLUG	ALL EXCEPT CLEAR BUNBOX MODELS (CBBC, SCBBC)
22	A5-Z9344	1	MOUNTING BRACKET	50C/SC
	A5-RG4554	1	MOUNTING BRACKET ASSY	50CE/SC
23	2J-Z2192	2	CONTROL 230/240 VOLT	50C/SC
	2J-Z2195	2	CONTROL 120 VOLT	50C/SC
	PS-RG3091	1	ELECTRONIC CONTROL 120V	50CE/SCE
	A5-Z6002	1	ELECTRONIC CONTROL 230/240V	50CE/SCE
24	2K-Z1971	9	SPACERS	50CE/SCE
25	2E-Z5565-5	1	RIBBON CONNECTOR	50CE/SCE
26	2E-Z5565-3	1	SENSOR FRONT	50CE/SCE
27	2E-Z5565-4	1	SENSOR REAR	50CE/SCE
28	2E-Z5565-2	1	POWER BOARD	50CE/SCE

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 1  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.

# PARTS LIST

December 8, 2006 Rev. G

**Grill-Max Roller Grills**  
MODEL **50 Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
29	PS-RG3092	1	CONTROL BOARD	50CE/SCE
30	A5-Z7751	1	CONTROL PANEL	50C/SC
	A5-Z7850	1	CONTROL PANEL ASSY	50CBB/SCBB
	A5-RG7560	1	CONTROL PANEL	50CBBE/SCBBE
	A5-RG7561	1	CONTROL PANEL	50CE/SCE
31	2M-Z8333	1	CONTROL PANEL LABEL	50C
	2M-Z8334	1	CONTROL PANEL LABEL	50CBB
	2M-Z8336	1	CONTROL PANEL LABEL	50CBBE
	2M-Z8335	1	CONTROL PANEL LABEL	50CE
	2M-Z8337	1	CONTROL PANEL LABEL	50SC
	2M-Z8338	1	CONTROL PANEL LABEL	50SCBB
	2M-Z8340	1	CONTROL PANEL LABEL	50SCBBE
	2M-Z8339	1	CONTROL PANEL LABEL	50SCE
32	2J-Z2329	3	PILOT LIGHT RED	50C/SC (120V & 240V MODELS)
	2J-Z3157	3	PILOT LIGHT YELLOW	50C/SC (230V MODELS)
	2J-Z2329	1	PILOT LIGHT RED	50CE/SC (120V & 240V MODELS)
	2J-Z3157	1	PILOT LIGHT YELLOW	50CE/SC (230V MODELS)
33	2E-Z1858	1	SWITCH-RED LIGHTED	120V & 240V MODELS
	2E-Z3156	1	SWITCH-YELLOW LIGHTED	230V MODELS
34	2R-Z1854	2	KNOB W/SET SCREW	50C/SC
35	A5-Z2509	4	PANEL-INSULATOR	50C/SC
36	2I-Z9865	22	O-RING SILICONE, TUBE SEAL	50C/SC serial no. or after C5003478
	2P-Z6455	22	TUBE SEAL, SOLID	50C/SC serial no. or before C5003477
37	2I-Z2175	22	ORING SEAL	50C/SC
38	2P-Z2174	22	TUBE GUIDE	50C/SC
39	2R-Z5846	4	LEGS	50C/SC
40	2K-Z2895	4	ANTI SHORT BUSHING	ALL
41	A5-Z7650	1	ELEMENT RETAINER - UPPER	50C/SC
42	A5-RG3094	1	ELEMENT RETAINER - ASSY	50CE/SCE
	A5-Z7656	1	ELEMENT RETAINER - LOWER	50C/SC
45	2P-Z5098	11	GREASE SEAL	50CDV/SCDV
46	A5-Z5158	1	GRILL DIVIDER	50CDV/SCDV
47	2D-Z5899	1	PAN FULL X 4" DEEP	50CBB/SCBB
48	2P-Z0315	4	DRAWER ROLLER W/SCREW	ALL BUNBOX (CBB/SCBB) MODELS
49	A5-RG5011	1	DRAWER ASSY	50CBB/SCBB
50	A5-RG5004	1	DRAWER FRONT ASSEMBLY	50CBB/SCBB
51	2M-Z2380	1	DRAWER LABEL	50CBB/SCBB
52	2A-Z4677	1	SHAFT	50CBBC/SCBBC
53	A5-Z4660	1	DOOR BRACKET	50CBBC/SCBBC
54	2C-Z4680	1	RETAINER RING	50CBBC/SCBBC
55	A5-Z4661	1	SPRING MOUNT BRACKET	50CBBC/SCBBC
56	A5-Z4657	1	DOOR ARM	50CBBC/SCBBC
57	2P-Z4683	1	EXTENSION SPRING	50CBBC/SCBBC
58	2P-Z0584	1	TONGS	ALL
59	2A-Z4333	2	RETAINER PIN	50CBBC/SCBBC
60	2P-Z4337	1	COMPRESSION SPRING	50CBBC/SCBBC
61	2A-Z4332	2	SHOULDER SCREW	50CBBC/SCBBC
62	A5-RG5016	1	FRONT DOOR-GLASS	50CBBC/SCBBC
NOT SHOWN	2E-Z8320	1	WIRE SET	50C/SC (INFINITE CONTROLS)
NOT SHOWN	2E-Z8414	1	WIRE SET	50CE/SCE (ELECTRONIC CONTROLS)
NOT SHOWN	PS-Z3018	--	TUBE ASSEMBLY SLEEVE	

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 2  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.

# PARTS LIST

December 8, 2006 Rev. G

**Grill-Max Roller Grills**  
MODEL **75 Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
1	A5-RG7549	1	BODY ASSY	75CRBB/SCRBB
	A5-RG7571	1	BODY ASSY	75CFV
	A5-RG7547	1	BODY ASSY	75CF/SCF
	A5-RG7548	1	BODY ASSY	75CBB/SCBB
	A5-RG7546	1	BODY ASSY	75 CR/SCR
	A5-RG7545	1	BODY ASSY	75 C/SC
2	A5-Z2306	1	DRIP TRAY	75C/SC
3	A5-Z8411	1	BACK-CHAIN RETAINER SPACER	75C/SC
4	A5-Z8412	1	ANGLE CHAIN RETAINER UPPER	75C/SC
5	A5-Z5347	2	SIDE PANEL	75CF/SCF
5	A5-Z2265	2	SIDE PANEL	75C/SC
6	2N-Z2193	16	ELEMENT 230V 50/75	75C/SC-230V
	2N-Z2982	16	ELEMENT 120V 105 W	75C/SC-120V
7	A5-Z6615	1	CHAIN GUIDE	75C/SC
8	2P-Z5336	1	CHAIN	75CF/SCF
	2P-Z2266	1	CHAIN	75C/SC
9	PS-RG7595	16	ROLLER ASSY HI-GRIP	75SC manuf. after 8/07
	PS-RG7563	16	ROLLER ASSY POLY	75SC manuf. before 8/07
	PS-RG7562	16	ROLLER ASSY CHROME	75C
10	2A-Z6614	3	IDLER	ALL
11	2A-Z8017	3	BUSHING, IDLER	ALL
12	A5-RG2042	1	ARM ASSY- CHAIN TENSIONER	ALL
13	2P-Z8074	1	SPRING	ALL
14	2P-Z2538	1	MOTOR SPROCKET	ALL
15	2U-Z6487	1	MOTOR-230/240 VOLT	ALL 230/240V MODELS
	2U-Z6485	1	MOTOR-120 VOLT	ALL 120V MODELS
16	A5-RG5040	1	MOTOR MOUNTING ASSY	75CF/SCF
	A5-RG2046	1	MOTOR MOUNTING ASSY	75C/SC
17	A5-RG2034	1	CORD SER 240V W/TERMINALS	75C/SC (240V MODELS)
	2E-Y9251	1	CORD SET EUR 16 AMP	75C/SC (230V MODELS)
	A5-RG2041	1	CORD ASSY 120V	75C/SC (120V MODELS)
18	2K-Y3240	1	CORD BUSHING	75C/SC 240V
	2K-Y2968	1	CORD BUSHING	75C/SC 120V
	2K-Y2968	1	CORD BUSHING	75CSA
19	2E-Y9253	1	CORD INLET IEC320 16 AMP	75C/SC (230V MODELS)
20	A5-Z5335	1	BOTTOM COVER PLATE	ALL
21	2P-Z1540	2	HOLE PLUG	ALL EXCEPT CLEAR BUNBOX MODELS (CBBC, SCBBC)
22	A5-RG4554	1	MOUNTING BRACKET ASSY	75CE/SCE
	A5-Z9344	1	MOUNTING BRACKET	75C/SC
23	A5-Z6002	1	ELECTRONIC CONTROL 230/240V	75CE/SCE
	PS-RG3091	1	ELECTRONIC CONTROL 120V	75CE/SCE
	2J-Z2192	2	CONTROL 230/240 VOLT	75C/SC
	2J-Z2195	2	CONTROL 120 VOLT	75C/SC
24	2K-Z1971	9	SPACERS	75CE/SCE
25	2E-Z5565-5	1	RIBBON CONNECTOR	75CE/SCE
26	2E-Z5565-3	1	SENSOR FRONT	75CE/SCE
27	2E-Z5565-4	1	SENSOR REAR	75CE/SCE
28	2E-Z5565-2	1	POWER BOARD	75CE/SCE
29	PS-RG3092	1	CONTROL BOARD	75CE/SCE
30	A5-RG7560	1	CONTROL PANEL	75CE/SCE
	A5-RG7561	1	CONTROL PANEL	75CBBE/SCBBE
	A5-Z7850	1	CONTROL PANEL ASSY	75CBB/SCBB
	A5-Z7751	1	CONTROL PANEL	75C/SC

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

Some items are included for illustrative purposes only and in certain instances may not be available.

PAGE 1  
OF 2



**Star Manufacturing International, Inc.**

# PARTS LIST

December 8, 2006 Rev. G

Grill-Max Roller Grills  
MODEL **75 Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation	
31	2M-Z8339	1	CONTROL PANEL LABEL	75SCE
	2M-Z8340	1	CONTROL PANEL LABEL	75SCBBE
	2M-Z8338	1	CONTROL PANEL LABEL	75SCBB
	2M-Z8337	1	CONTROL PANEL LABEL	75SC
	2M-Z8335	1	CONTROL PANEL LABEL	75CE
	2M-Z8336	1	CONTROL PANEL LABEL	75CBBE
	2M-Z8334	1	CONTROL PANEL LABEL	75CBB
	2M-Z8333	1	CONTROL PANEL LABEL	75C
32	2J-Z3157	1	PILOT LIGHT YELLOW	75CE/SCE (230V MODELS)
	2J-Z2329	1	PILOT LIGHT RED	75CE/SCE (120V & 240V MODELS)
	2J-Z3157	3	PILOT LIGHT YELLOW	75C/SC (230V MODELS)
	2J-Z2329	3	PILOT LIGHT RED	75C/SC (120V & 240V MODELS)
33	2E-Z3156	1	SWITCH-YELLOW LIGHTED	230V MODELS
	2E-Z1858	1	SWITCH-RED LIGHTED	120V & 240V MODELS
34	2R-Z1854	2	KNOB W/SET SCREW	75C/SC
35	A5-Z2510	4	PANEL-INSULATOR	75C/SC
36	2I-Z9865	32	O-RING SILICONE, TUBE SEAL	75C/SC after serial no. xxx
	2P-Z6455	32	TUBE SEAL, SOLID	75C/SC before serial no. xxx
37	2I-Z2175	32	ORING SEAL	75C/SC
38	2P-Z2174	32	TUBE GUIDE	75C/SC
39	2R-Y5092	4	LEGS 4"	75C/SC
40	2K-Z2895	4	ANTI SHORT BUSHING	ALL
41	A5-Z6619	1	ELEMENT RETAINER - UPPER	75C/SC
42	A5-RG4549	1	ELEMENT RETAINER ASSY - LOW	75CE/SCE
	A5-Z6622	1	ELEMENT RETAINER - LOWER	75C/SC
43	2P-Y9176	2	SNAP BUTTON	75SCF-SA, 75SCFE-SA
44	A5-RG7516	1	CONTROL PANEL COVER	75SCF-SA, 75SCFE-SA
45	2P-Z5098	16	GREASE SEAL	75CDV/SCDV
46	A5-Z5157	1	GRILL DIVIDER	75CDV/SCDV
47	2D-Z5899	1	PAN FULL X 4" DEEP	75CBB/SCBB
48	2P-Z0315	4	DRAWER ROLLER W/SCREW	ALL BUNBOX (CBB/SCBB) MODELS
49	A5-RG5011	1	DRAWER ASSY	75CBB/SCBB
50	A5-RG5004	1	DRAWER FRONT ASSEMBLY	75CBB/SCBB
51	2M-Z2380	1	DRAWER LABEL	75CBB/SCBB
58	2P-Z0584	1	TONGS	ALL
NOT SHOWN	2E-Z8414	1	WIRE SET	75CE/SCE (ELECTRONIC CONTROLS)
NOT SHOWN	2E-Z8320	1	WIRE SET	75C/SC (INFINITE CONTROLS)
NOT SHOWN	PS-Z3018	--	TUBE ASSEMBLY SLEEVE	

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 2  
OF 2


Some items are included for illustrative purposes only and in certain instances may not be available.





**STAR MANUFACTURING INTERNATIONAL INC.**  
SK2211

7-05-06



REFER TO THE PARTS LIST SPECIFIC TO YOUR MODEL FOR MORE DETAIL INFORMATION.

# PARTS LIST

September 20, 2006 Rev. G

**Grill-Max Island Roller Grills**  
**MODEL 54IC Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation
1	A5-RG3098	1	BODY ASSY
2	A5-Z5185	1	DRIP TRAY
3	A5-RG30105	1	DRIP PAN ASSY
4	A5-Z8803	2	SIDE PANEL IC/ISC
5	A5-Z9705	19	ELEMENT 90W 120V
6	A5-Z8811	1	CHAIN GUIDE 2
7	A5-Z8810	1	CHAIN GUIDE 1
8	A5-Z8826	2	CHAIN RETAINER-ANGLE
9	A5-Z8827	2	CHAIN RETAINER-FLAT
10	2P-Z8915	1	ROLLER CHAIN
11	A5-RG3001	19	ROLLER ASSY CHROME
	A5-RG3002	19	ROLLER ASSY POLY
12	2P-Z8392	4	IDLER SPROCKET ASSY
13	2A-Z8017	4	BUSHING IDLER
14	2K-8043	1	BUSHING HEYCO
15	2K-Y3240	1	BUSHING SR 17-2
16	A5-RG2042	1	ARM ASSY-CHAIN TENSIONER
17	2P-Z8074	1	EXTENSION SPRING
18	2P-Z8317	1	MOTOR SPROCKET
19	2K-Z2895	3	BUSHING
	2K-Z2895	4	BUSHING
20	A5-RG2046	1	MOTOR MOUNTING ASSY
21	2U-Z6485	1	GEAR MOTOR, 120V
22	A5-RG2036	1	CORD SET 120V W/TERMINALS
23	2J-Z2329	5	PILOT LIGHT
	2J-Z2329	2	PILOT LIGHT
24	A5-RG4554	2	INSIDE MOUNTING ASSY
	A5-Z9344	2	INSIDE MOUNTING BRACKET
25	2J-Z2195	4	INFINITE CONTROLS 120V
26	2K-Z1971	18	SPACER
27	2E-Z5565-5	2	RIBBON CONNECTOR
28	2E-Z5565-3	2	SENSOR FRONT
29	2E-Z5565-4	2	SENSOR REAR
30	2E-Z5565-2	2	POWER BOARD
31	PS-RG3092	2	CONTROL BOARD
32	A5-RG3069	1	CONTROL PANEL
	A5-Z7651	2	CONTROL PANEL
33	2M-Z8325	1	LABEL-CNTRL PNL-SWITCH SIDE
	2M-Z8327	1	LABEL-CNTRL PNL-SWITCH SIDE
	2M-Z8329	1	LABEL-CONTROL PANEL-SWITCH SIDE
	2M-Z8332	1	LABEL-CNTRL PNL-SWITCH SIDE
	2M-Z8916	1	LABEL 2 CNTTROL PNL-NON SWITCH SIDE
	2M-Z9723	1	CONTROL PNL LABEL-NON SWITCH SIDE
	2M-Z9724	1	CONTROL PNL LABEL-NON SWITCH SIDE
	2M-Z9725	1	CNTRL PNL LABEL 2 - NON SWITCH SIDE
34	2E-Z1858	1	SWITCH-LIGHTED
35	2R-Z1854	4	KNOB-CONTROL
36	A5-Z2509	4	PANEL INSULATOR
37	2P-Z6455	38	TUBE SEAL, SOLID
38	2I-Z2175	38	O-RING SEAL
39	2P-Z2174	38	TUBE GUIDE
40	2R-Z5846	4	FOOT-ROLLER GRILLS

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 1  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.



# PARTS LIST

September 20, 2006 Rev. G

Grill-Max Island Roller Grills  
MODEL 54IC Series

Key Number	Part Number	Number Per Unit	Description & Model Designation	
41	2P-Z1540	5	PLUG-HEYCO 5/16" DIA.	IC/ISC
	2P-Z1540	4	PLUG-HEYCO 5/16" DIA.	ICE/ISCE
42	A5-RG30115	1	ELEMENT RETAINER ASSY LOWER 1	ICE/ISCE
	A5-Z8808	1	ELEMENT RETAINER-LOWER 1	IC/ISC
43	A5-RG30116	1	ELEMENT RETAINER ASSY LOWER 2	ICE/ISCE
	A5-Z8809	1	ELEMENT RETAINER-LOWER 2	IC/ISC
44	A5-Z8828	1	ELEMENT RETAINER-UPPER 1	
45	A5-Z8829	1	ELEMENT RETAINER-UPPER 2	
46	A5-Z8833	1	COVER PLATE	
47	2P-Z0584	1	TONGS-PLASTIC	
NI	2E-Z8912	1	WIRE SET	IC/ISC
NI	2E-Z9789	1	WIRE KIT	ICE/ISCE

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 2  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.



# PARTS LIST

September 20, 2006 Rev. G

**Grill-Max Island Roller Grills**  
**MODEL 90IC/ISC Series**

Key Number	Part Number	Number Per Unit	Description & Model Designation
1	A5-RG7575	1	BODY ASSY 90IC/ISC
2	A5-Z9828	1	DRIP TRAY 90IC/ISC
3	A5-RG7576	1	DRIP PAN ASSY 90IC/ISC
4	A5-Z8803	2	SIDE PANEL IC/ISC
5	2N-Z2193	19	ELEMENT 135W, 230V 90IC/ISC
6	A5-Z8811	1	CHAIN GUIDE 2
7	A5-Z8810	1	CHAIN GUIDE 1
8	A5-Z8826	2	CHAIN RETAINER-ANGLE
9	A5-Z8827	2	CHAIN RETAINER-FLAT
10	2P-Z8915	1	ROLLER CHAIN
11	A5-RG7501	19	ROLLER ASSY CHROME 90IC
	A5-RG7502	19	ROLLER ASSY POLY 90ISC
12	2P-Z8392	4	IDLER SPROCKET ASSY
13	2A-Z8017	4	BUSHING IDLER
14	2K-8043	1	BUSHING HEYCO
15	2K-Y3240	1	BUSHING SR 17-2 ICE/ISCE
16	A5-RG2042	1	ARM ASSY-CHAIN TENSIONER
17	2P-Z8074	1	EXTENSION SPRING
18	2P-Z8317	1	MOTOR SPROCKET
19	2K-Z2895	8	BUSHING 90IC/ISC
19	2K-Z2895	4	BUSHING ICE/ISCE
20	A5-RG2046	1	MOTOR MOUNTING ASSY
21	2U-Z6487	1	GEAR MOTOR, 240V
22	A5-RG2034	1	CORD SET 240V W/TERMINALS 90ICE
	A5-RG7579	1	CORD W/TERMINALS 240V, 6-15P 90IC
23	2J-Z2329	6	PILOT LIGHT IC/ISC
	2J-Z2329	2	PILOT LIGHT ICE/ISCE
24	A5-RG4554	2	INSIDE MOUNTING ASSY ICE/ISCE
	A5-Z7664	2	INSIDE MOUNTING BRACKET 90IC/ISC
25	2J-Z2192	4	INFINITE CONTROLS 240V IC/ISC
26	2K-Z1971	18	SPACER ICE/ISCE
27	2E-Z5565-5	2	RIBBON CONNECTOR ICE/ISCE
28	2E-Z5565-3	2	SENSOR FRONT ICE/ISCE
29	2E-Z5565-4	2	SENSOR REAR ICE/ISCE
30	2E-Z5565-2	2	POWER BOARD ICE/ISCE
31	PS-RG3092	2	CONTROL BOARD ICE/ISCE
32	A5-RG7560	1	CONTROL PANEL 90ICE/ISCE
	A5-Z7751	2	CONTROL PANEL 90IC/ISC
33	2M-Z8333	1	LABEL-CONTROL PNL-SWITCH SIDE 90IC
	2M-Z8335	1	LABEL-CONTROL PANEL-SWITCH SIDE 90ICE
	2M-Z8337	1	LABEL-CNTRL PNL-SWITCH SIDE 90ISC
	2M-Z8339	1	LABEL-CNTRL PNL-SWITCH SIDE 90ISCE
	2M-Z8938	1	LABEL-CNTRL PNL-NON-SWITCH SIDE 90ISC
	2M-Z9727	1	CONTROL PNL LABEL-NON SWITCH SIDE 90ICE
	2M-Z9727	1	CONTROL PNL LABEL-NON SWITCH SIDE 90IC
	2M-Z9728	1	LABEL-CNTRL PNL-NON-SWITCH SIDE 90ISCE
34	2E-Z1858	1	SWITCH-LIGHTED
35	2R-Z1854	4	KNOB-CONTROL IC/ISC
36	A5-Z2509	4	PANEL INSULATOR
37	2P-Z2174	38	TUBE GUIDE
38	2I-Z2175	38	O-RING SEAL
39	2P-Z6455	38	TUBE SEAL, SOLID

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 1  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.

# PARTS LIST

September 20, 2006 Rev. G

Grill-Max Island Roller Grills  
MODEL 90IC/ISC Series

Key Number	Part Number	Number Per Unit	Description & Model Designation	
40	2R-Y5092	4	BLACK PLASTIC LEG	90IC/ISC
41	2P-Z1540	5	PLUG-HEYCO 5/16" DIA.	IC/ISC
	2P-Z1540	4	PLUG-HEYCO 5/16" DIA.	ICE/ISCE
42	A5-RG30115	1	ELEMENT RETAINER ASSY LOWER 1	ICE/ISCE
	A5-Z8808	1	ELEMENT RETAINER-LOWER 1	IC/ISC
43	A5-RG30116	1	ELEMENT RETAINER ASSY LOWER 2	ICE/ISCE
	A5-Z8809	1	ELEMENT RETAINER-LOWER 2	IC/ISC
44	A5-Z8828	1	ELEMENT RETAINER-UPPER 1	
45	A5-Z8829	1	ELEMENT RETAINER-UPPER 2	
46	A5-Z8833	1	COVER PLATE	
47	2P-Z0584	1	TONGS-PLASTIC	
NI	2E-Z8912	1	WIRE SET	90IC/ISC
NI	2E-Z9789	1	WIRE SET	90ICE/ISCE

**IMPORTANT: WHEN ORDERING, SPECIFY VOLTAGE OR TYPE GAS DESIRED  
INCLUDE MODEL AND SERIAL NUMBER**

PAGE 2  
OF 2

Some items are included for illustrative purposes only and in certain instances may not be available.



**STAR MANUFACTURING**

10 Sunnen Drive, St. Louis, MO 63143 U.S.A.  
(800) 807-9054 (314) 781-2777  
Parts & Service (800) 807-9054  
[www.star-mfg.com](http://www.star-mfg.com)